



ProSet Price List

October 2016

PL016

Firestopping ■ Water Resistant ■ Waterproof
Floors ■ Walls ■ Pass-Through ■ Fixtures ■ Drains



Plumbing Openings



**Water
Guard**

New

**100%
Waterproof
Penetration**



**System
"A"**



**System
"B"**



**System
"C"**

Copyright (c) 2003-2006, ProSet Systems Inc., All Rights Reserved

ProSet Systems Inc ■ 1355 Capital Circle ■ Lawrenceville ■ Georgia ■ 30043-5866

770-339-1782 ■ 800-262-5355 ■ Fax: 770-339-1784

www.ProSetSystems.com ■ www.ProSetDesign.com ■ www.TrapGuard.com

PRODUCT DIRECTORY

| | | | | | |
|-------------------------------|------|------------------------------|------|---|------|
| ANCHORS (CONCRETE INSERTS) | PS60 | DRAINS (ROOF) | PS55 | SELF SEAL GYPSUM WALL | PS36 |
| AUTO AIR VALVE DEVICE | PS61 | DRAINS (CORED HOLE FLOOR) | PS54 | SELF SEAL MASONRY WALL | PS37 |
| CAPS ONLY | PS57 | EXTENSION COUPLING | PS02 | SELF SEAL POURED CONCRETE WALL | PS38 |
| CAST-IN SLEEVE COUPLING | PS22 | E-Z-FLEX | PS24 | SELF SEAL W/EXT COUPLING | PS32 |
| CAULK-ADVESIVE | PS63 | E-Z FLEX NO HUB | PS25 | SELF SEAL W/EXT COUPLING FOR CM | PS35 |
| CAULK-FIRESTOPPING | PS64 | FASTENING FLANGE #43 | PS09 | SLEEVE CORED HOLE WATER GUARD | PS17 |
| CLEAN OUTS | PS56 | FIRE RATED PIPE, ONLY | PS72 | SLEEVE INSULATED PIPE | PS16 |
| CLOSET FLANGE(STREET) | PS05 | FIREFILL | PS66 | SLEEVE WATER GUARD W/EXT. | PS18 |
| CLOSET FLANGE (WOOD) | PS04 | FLEX-ALIGN FITTING | PS67 | SLEEVE WATER GUARD W/EXT & RING | PS19 |
| CLOSET STUB (ASSEMBLY) | PS20 | HI-TEMP PVC STUB-OUT PIPE | PS69 | SLEEVE WATER GUARD W/RING | PS34 |
| CLOSET STUB-CORED HOLE | PS21 | J-BEND HANGERS | PS68 | SLEEVE COUPLING CM | PS12 |
| CLOSET STUB ONLY-W/O FLANGE | PS26 | NOISE ISOLATION RINGS | PS71 | SLEEVE COUPLING #43 CORED HOLE | PS13 |
| CORED HOLE COUPLINGS | PS41 | P-90 STUB-OUT | PS59 | SLEEVE COUPLING CAST IN | PS11 |
| CORED HOLE STACK STUB | PS42 | PRE-CAST SHOWER DRAINS | PS43 | SOLVENT CEMENT & PRIMER | PS62 |
| COUPLING PIPE (ONLY) | PS74 | PROSEAL PLUGS | PS75 | SOVENT BOX OPENINGS | PS08 |
| DRAINS (FLOOR/SHOWER CAST IN) | PS47 | RISER CLAMP ASSEMBLY | PS70 | STACK STUB CAST-IN #48 | PS27 |
| DRAINS—CORED HOLE & CM | PS48 | RISER SUPPORT | PS40 | STRAINERS | PS45 |
| DRAINS (DECK) | PS50 | SEAL RINGS | PS10 | TUB BOX FOR POURED CONCRETE | PS44 |
| DRAINS (FLOOR) | PS52 | SELF SEAL CM SLEEVE | PS30 | TUB BOX WOOD ASSEMBLY | PS46 |
| DRAINS (FLOOR-CM) | PS53 | SELF SEAL CORED HOLE | PS31 | WALL HUB SELF SEAL SLEEVE | PS33 |
| DRAINS (FLOOR HUB W/STRAINER) | PS49 | SELF SEAL FLANGE ONLY | PS28 | WALL SLEEVE—GYPSUM | PS14 |
| DRAINS (HEAVY DUTY AREA) | PS51 | SELF SEAL COUPLING #49 | PS29 | WALL SLEEVE-MASONRY | PS15 |
| DRAINS (PLANTER) | PS23 | SELF SEAL FLUSH FIT COUPLING | PS39 | WASHER BOX/ICE MAKER BOX WATER GUARD PARTS | PS07 |

IMPORTANT

ALL FIRESTOP COUPLING PENETRATORS ARE PRICED AT 8" IN HEIGHT. THE FACTORY WILL CUT AND CAP 8" OR LESS AT NO EXTRA COST. SEE PS 31 FOR PRICES PER INCH THAT EXCEED 8" IN HEIGHT. WHEN ORDERING, CHANGE THE LETTER "H" FOR THE NUMBER TO INDICATE YOUR SPECIFIC SLAB THICKNESS. SEE BACK PAGE FOR PROSET'S PRODUCT DIRECTORY TO FIND THE PS NUMBERED LOCATION.

**THIS PRICE LIST DOES NOT CONTAIN "ALL" OF PROSETS' PRODUCTS.
PART NUMBERS AND PART PRICES ARE SUBJECT TO CHANGE.**

| PART NO. | DESCRIPTION | UNIT TRADE PRICE |
|---|---|------------------------|
| PS 01 WATER GUARD RING WITH BAND | | |
| P2814-S | 2" WATER GUARD FLEX RING W/BAND | 7.50 |
| P3814-S | 3" WATER GUARD FLEX RING W/BAND | 8.00 |
| P4814-S | 4" WATER GUARD FLEX RING W/BAND | 8.50 |
| P6814-S | 6" WATER GUARD FLEX RING W/BAND | 14.35 |
| PS 02 EXTENSION COUPLINGS ONLY | | |
| P25142 | 2" EXT. COUPLING ONLY | 2.15 |
| P35142 | 3" EXT. COUPLING ONLY | 2.60 |
| P45142 | 4" EXT. COUPLING ONLY | 2.90 |
| P65142 | 6" EXT. COUPLING ONLY | 4.25 |
| PS 03 EXTENSION COUPLING WITH PLUG | | |
| P25142-B/G/R | 2" EXT. COUPLING W/PLUG | 3.75 |
| P35142-B/G/R | 3" EXT. COUPLING W/PLUG | 4.25 |
| P45142-B/G/R | 4" EXT. COUPLING W/PLUG | 4.80 |
| P65142-B/R | 6" EXT. COUPLING W/PLUG | 7.00 |
| PS 04 CLOSET FLANGE ASSEMBLY FOR WOOD FLOORS | | |
| P35344 | 3" FLANGE INTO 4" HOLE | 8.10 |
| P45344 | 4" FLANGE INTO 5" HOLE | 8.70 |
| PS 05 STREET CLOSET FLANGE FOR FITTING INSIDE COUPLING | | |
| P35340 | 3" FLUSH FIT FLANGE | 5.35 |
| P45340 | 4" FLUSH FIT FLANGE | 7.15 |
| P35340-SX | 3" PROSEAL FLUSH FIT FLANGE | 7.65 |
| P45340-SX | 4" PROSEAL FLUSH FIT FLANGE | 8.25 |
| PS 06 WATER PROOFING EXTENSION ONLY | | |
| P2B/G-43-3 | 2" X 3" EXT. NIPPLE For C.I. OR PASS-THRU | 1.20 |
| P3B/G-43-3 | 3" X 3" EXT. NIPPLE For C.I. OR PASS THRU | 1.50 |
| P4B/G-43-3 | 4" X 3" EXT. NIPPLE For C.I. OR PASS THRU | 2.40 |
| P6B/G-43-3 | 6" X 3" EXT. NIPPLE For C.I. OR PASS THRU | 4.50 |
| PS 07 FIRE RATED WASHER BOX FOR FIRESTOPPING WASHER OUTLET ON RATED WALLS. | | |
| P25410 | 2" FIRE RATED WASHER BOX | 38.00 |
| P25410-VSG | 2" FIRE RATED WASHER BOX W/SUDS GUARD | 71.00 |
| P25410-V | 2" FIRE RATED WASHER BOX W/VALVE | 52.30 |
| P25410-IV | 2" FIRE RATED ICE MAKER BOX W/VALVE | 44.60 |
| P25410-VA | 2" FIRE RATED WASHER BOX W/AIR-VALVE | 71.00 |
| P25410-IVA | 2" FIRE RATED ICE MAKER W/AIR VALVE | 64.90 |
| PS 08 SOVENT STACK BOX FOR RECESSING A SOVENT AERATOR FITTING 2-1/2" - 4". PREFIX "S" FOR STEEL BOX. | | |
| P4542H | 4" SOVENT STACK BOX (2-1/2" RECESS) | 28.75 |
| P4542H-EZ | 4" SOVENT STACK BOX W/ E-Z FLEX (2-1/2" RECESS) | 34.50 |
| S3542H | 3" SOVENT STEEL STACK BOX (4" RECESS) | 24.15 |
| S4542H | 4" SOVENT STEEL STACK BOX (4" RECESS) | 34.00 |
| S4542H-EZ | 4" SOVENT STEEL STACK BOX W/ E-Z FLEX (4" RECESS) | 39.00 |
| S3542H-EZ | 3" SOVENT STEEL STACK BOX W/ E-Z FLEX (4" RECESS) | 32.15 |

| PART NO. | DESCRIPTION | UNIT TRADE PRICE |
|--|---|------------------------|
| PS 09 #43 FASTENING FLANGES ONLY | | |
| P2543 | 2" F.R. FASTENING FLANGE | 3.60 |
| P3543 | 3" F.R. FASTENING FLANGE | 4.65 |
| P4543 | 4" F.R. FASTENING FLANGE | 5.35 |
| P6543 | 6" F.R. FASTENING FLANGE | 5.90 |
| PS 10 SEAL RING ONLY | | |
| P2243 | 2" SEAL RING | 1.45 |
| P3243 | 3" SEAL RING | 2.00 |
| P4243 | 4" SEAL RING | 2.90 |
| P6243 | 6" SEAL RING | 4.00 |
| PS 11 CAST-IN SLEEVE COUPLING FOR PASS THRU PIPE. | | |
| P2543H | 2" CAST-IN SLEEVE | 5.90 |
| P3843H | 2 1/2" CAST-IN SLEEVE | 10.00 |
| P3543H | 3" CAST-IN SLEEVE | 8.30 |
| P4543H | 4" CAST-IN SLEEVE | 10.40 |
| P6843H-R | 5" CAST-IN SLEEVE | 21.05 |
| P6543H | 6" CAST-IN SLEEVE | 15.80 |
| P8543H-A | 8" CAST-IN PIPE SLEEVE (NO OPTIONS) | 20.25 |
| P10543H-A | 10" CAST-IN PIPE SLEEVE (NO OPTIONS) | 25.30 |
| P12543H-A | 12" CAST-IN PIPE SLEEVE (NO OPTIONS) | 31.05 |
| OPTIONS: FOR C.I. OR STEEL PASS THRU PIPE ORDER "B". FOR C.U. ORDER "R". PLASTIC PASS THRU PIPE ORDER "G". | | |
| PS 12 SLEEVE COUPLING FOR CORRUGATED METAL | | |
| P2543H-CM | 2" CAST-IN-SLEEVE FOR CM | 5.90 |
| P3843H-CM | 2 1/2" CAST-IN-SLEEVE FOR CM | 10.00 |
| P3543H-CM | 3" CAST-IN-SLEEVE FOR CM | 8.30 |
| P4543H-CM | 4" CAST-IN-SLEEVE FOR CM | 10.40 |
| P6843H-CM | 5" CAST-IN-SLEEVE FOR CM | 21.05 |
| P6543H-CM | 6" CAST-IN-SLEEVE FOR CM | 15.80 |
| PS 13 CORED HOLE SLEEVE COUPLING FOR PASS THRU PIPE. | | |
| P2543H-CH | 2" CORED HOLE SLEEVE (FITS 2-3/4" HOLE) | 4.10 |
| P3843H-CH | 2 1/2" CORED HOLE SLEEVE (FITS 4" HOLE) | 6.70 |
| P3543H-CH | 3" CORED HOLE SLEEVE (FITS 4" HOLE) | 6.10 |
| P4543H-CH | 4" CORED HOLE SLEEVE (FITS 5" HOLE) | 8.35 |
| P6843H-CH | 5" CORED HOLE (FITS 7-1/2" HOLE) | 20.55 |
| P6543H-CH | 6" CORED HOLE (FITS 7-1/2" HOLE) | 17.65 |
| OPTIONS: FOR C.I. OR STEEL PASS THRU PIPE ORDER "B". FOR SOLVENT CEMENTING ORDER "R". FOR PLASTIC PASS THRU PIPE ORDER "G". | | |
| PS 14 HI-TEMP PVC SLEEVE COUPLING FOR GYPSUM WALLS. All WALL SLEEVE PRICING HAS 2 SEAL RINGS AND IS 8" LONG. | | |
| P2543H-G-GW | 2" SLEEVE COUPLING | 6.30 |
| P3843H-R-GW | 2-1/2" SLEEVE COUPLING | 10.50 |
| P3543H-B/R-GW | 3" SLEEVE COUPLING | 8.70 |
| P4543H-B/R-GW | 4" SLEEVE COUPLING | 11.25 |
| P6843H-R-GW | 5" SLEEVE COUPLING | 24.75 |
| P6543H-B/R-GW | 6" SLEEVE COUPLING | 21.70 |
| PS 15 HI-TEMP SLEEVE COUPLING FOR BLOCK OR MASONRY WALLS. All WALL SLEEVE PRICING HAS 1 SEAL RINGS AND IS 8" LONG | | |
| P2543H-MW | 2" SLEEVE COUPLING | 4.15 |
| P3843H-MW | 2-1/2" SLEEVE COUPLING | 6.75 |
| P3543H-MW | 3" SLEEVE COUPLING | 6.10 |
| P4543H-MW | 4" SLEEVE COUPLING | 8.35 |
| P6843H-MW | 5" SLEEVE COUPLING | 20.75 |
| P6543H-MW | 6" SLEEVE COUPLING | 18.60 |
| OPTIONS: FOR C.I. OR STEEL PASS THRU PIPE ORDER "B". FOR SOLVENT CEMENTING ORDER "R". FOR PLASTIC PASS THRU PIPE ORDER "G". | | |

| PART NO. | DESCRIPTION | UNIT TRADE PRICE |
|-----------------|--|------------------------|
| PS 16 | SLEEVE FOR INSULATED PIPE | |
| P2543H-G-SSW | 2" SLEEVE COUPLING W/WRAP | 9.80 |
| P3543H-G-SSW | 3" SLEEVE COUPLING W/WRAP | 13.35 |
| P4543H-G-SSW | 4" SLEEVE COUPLING W/WRAP | 16.55 |
| P6543H-R-SSW | 6" SLEEVE COUPLING W/WRAP | 23.70 |
| P8543H-A-SSW | 8" SLEEVE COUPLING W/WRAP | 50.55 |
| P10543H-A-SSW | 10" SLEEVE COUPLING W/WRAP | 58.55 |
| P12543H-A-SSW | 12" SLEEVE COUPLING W/WRAP | 63.70 |
| PS 17 | CORED HOLE WATER GUARD SLEEVE | |
| P2543H-B/G-CHE | 2" SLEEVE COUPLING | 6.30 |
| P3543H-B/G-CHE | 3" SLEEVE COUPLING | 8.70 |
| P4543H-B/G-CHE | 4" SLEEVE COUPLING | 10.80 |
| P6843H-R-CHE | 5" SLEEVE COUPLING | 19.10 |
| P6543H-B/G-CHE | 6" SLEEVE COUPLING | 16.20 |
| PS 18 | WATER GUARD SLEEVE W/EXTENSION COUPLING | |
| P2543H-C | 2" SLEEVE W/EXT. CPLG | 10.55 |
| P3843H-C | 2 1/2" SLEEVE W/EXT. CPLG | 14.55 |
| P3543H-C | 3" SLEEVE W/EXT. CPLG | 13.90 |
| P4543H-C | 4" SLEEVE W/EXT. CPLG | 17.00 |
| P6843H-C | 5" SLEEVE W/EXT. CPLG | 29.70 |
| P6543H-C | 6" SLEEVE W/EXT. CPLG | 24.75 |
| PS 19 | WATER GUARD EXTENSION SLEEVE W/ EXTENTIONS COUPLING & RING | |
| P2543H-CR | 2" SLEEVE W/ EXT. CPLG & RING | 18.05 |
| P3543H-CR | 3" SLEEVE W/ EXT. CPLG & RING | 21.90 |
| P4543H-CR | 4" SLEEVE W/ EXT. CPLG & RING | 25.50 |
| P6843H-CR | 5" SLEEVE W/ EXT. CPLG & RING | 41.10 |
| P6543H-CR | 6" SLEEVE W/ EXT. CPLG & RING | 39.10 |
| PS 20 | CAST IN CLOSET STUB FOR FLOOR OUTLET WATER CLOSETS IN POURED CONCRETE FLOORS—WITH TEST CAP FLANGE | |
| P3544H | 3" CLOSET STUB-IN W/FLANGE | 13.50 |
| P4544H | 4" CLOSET STUB-IN W/FLANGE | 15.75 |
| P3544H-SX | 3" CLOSET STUB W/TEST CAP & FLANGE | 18.15 |
| P4544H-SX | 4" CLOSET STUB W/TEST CAP & FLANGE | 20.25 |
| PS 21 | CORED HOLE CLOSET STUB WITH FLOOR OUTLET FOR WATER CLOSETS IN PRE-CAST CONCRET FLOORS | |
| P3544H-CH-SX | 3" CORED HOLE CLOSET STUB | 18.40 |
| P4544H-CH-SX | 4" CORED HOLE CLOSET STUB | 20.65 |
| PS 22 | CAST-IN SLEEVE COUPLNG FOR SOLVENT CEMENTING | |
| P1545H | 1-1/2" CAST-IN COUPLING | 5.90 |
| P2545H | 2" CAST-IN COUPLING | 7.10 |
| P3545H | 3" CAST-IN COUPLING | 9.65 |
| P4545H | 4" CAST-IN COUPLING | 11.95 |
| P6545H | 6" CAST-IN COUPLING | 18.15 |
| PS 23 | DOMESTRAINER PLANTER DRAIN STUB FOR DRAINING PLANTING AREAS THRU A CONCRETE FLOOR & CM DECK | |
| P2546H | 2" STUB W/DOME STRAINER | 12.10 |
| P3546H | 3" STUB W/DOME STRAINER | 15.45 |
| P4546H | 4" STUB W/DOME STRAINER | 20.05 |
| P2564H-PDR | 2" DRAIN STUB W/WATERSTOP RING | 21.40 |
| P3564H-PDR | 3" DRAIN STUB W/WATERSTOP RING | 30.30 |
| P4564H-PDR | 4" DRAIN STUB W/WATERSTOP RING | 36.90 |
| P2546H-SSW | 2" STUB W/SELF SEAL WRAP | 20.75 |
| P3546H-SSW | 3" STUB W/SELF SEAL WRAP | 36.15 |
| P4546H-SSW | 4" STUB W/SELF SEAL WRAP | 56.25 |
| OPTIONS: | ADD "CM" TO END OF PART NUMBER FOR METAL DECKS. | |
| PS 24 | E-Z FLEX COUPLING FOR PLASTIC TO PLASTIC TO IRON COUPLING. | |
| P15470 | 1-1/2" E-Z FLEX COUPLING | 3.20 |
| P25470 | 2" E-Z FLEX COUPLING | 4.00 |
| P35470 | 3" E-Z FLEX COUPLING | 4.40 |
| P45470 | 4" E-Z FLEX COUPLING | 5.50 |
| P65470 | 6" E-Z FLEX COUPLING | 18.60 |

| PART NO. | DESCRIPTION | UNIT TRADE PRICE |
|-----------------|---|------------------------|
| PS 25 | E-Z NO HUB METAL COUPLING FOR PLASTIC TO IRON CONNECTION. | |
| S25470 | 2" NO HUB ADAPTOR COUPLING | 3.20 |
| S35470 | 3" NO HUB ADAPTOR COUPLING | 5.60 |
| S45470 | 4" NO HUB ADAPTOR COUPLING | 7.45 |
| S65470 | 6" NO HUB ADAPTOR COUPLING | 34.55 |
| PS 26 | CAST IN CLOSET STUB FOR FLOOR OUTLET WATER CLOSETS IN POURED CONCRETE FLOORS. (NO FLANGES) | |
| P3548H-SX | 3" CLOSET STUB W/TEST CAP LESS FLANGE | 10.75 |
| P4548H-SX | 4" CLOSET STUB W/TEST CAP LESS FLANGE | 13.90 |
| OPTIONS: | ADD "CM" TO END OF PART NUMBER FOR METAL DECKS. | |
| PS 27 | CAST-IN STACK STUB FOR CAST IRON STACKS WITH SOCKET ON TOP BOTTOM AND WHEN USING E-Z FLEX ON BOTTOM AND P90 PIPE ON TOP. | |
| P1548H | 1-1/2" CAST-IN STACK STUB | 5.70 |
| P2548H | 2" CAST-IN STACK STUB | 6.95 |
| P3548H | 3" CAST-IN STACK STUB | 9.55 |
| P4548H | 4" CAST-IN STACK STUB | 11.90 |
| P6548H | 6" CAST-IN STACK STUB | 18.25 |
| OPTIONS: | ADD "CM" TO END OF PART NUMBER FOR METAL DECKS. | |
| PS 28 | #49 SELF SEAL FLANGES ONLY | |
| P25490 | 2" SELF SEAL FLANGE W/WRAP | 10.75 |
| P35490 | 3" SELF SEAL FLANGE W/WRAP | 20.85 |
| P45490 | 4" SELF SEAL FLANGE W/WRAP | 24.15 |
| S65490 | 6" SELF SEAL FLANGE W/WRAP | 77.70 |
| PS 29 | SELF SEAL SLEEVE COUPLING FOR POURED IN PLACE CONCRETE. | |
| P2549H | 2" SELF SEAL COUPLING | 12.65 |
| P3549H | 3" SELF SEAL COUPLING | 24.00 |
| P4549H | 4" SELF SEAL COUPLING | 28.00 |
| S6549H | 6" SELF SEAL COUPLING | 80.50 |
| OPTIONS: | USE "G" FOR PLASTIC PASS THRU. USE "R" FOR SOLVENT CEMENTING. | |
| PS 30 | SELF SEAL CM SLEEVE COUPLING FOR CONCRETE ON CORRUGATED METAL. | |
| P2549H-CM | 2" SELF SEAL CM COUPLING | 16.75 |
| P3549H-CM | 3" SELF SEAL CM COUPLING | 30.25 |
| P4549H-CM | 4" SELF SEAL CM COUPLING | 41.75 |
| S6549H-CM | 6" SELF SEAL CM COUPLING | 80.50 |
| OPTIONS: | USE "G" FOR PLASTIC PASS THRU. USE "R" FOR SOLVENT CEMENTING | |
| PS 31 | SELF SEAL CORED HOLE SLEEVE COUPLING THRU CORED HOLES 4-1/2" LONG. | |
| P2549H-CH | 2" SELF SEAL CH COUPLING | 11.00 |
| P3549H-CH | 3" SELF SEAL CH COUPLING | 22.00 |
| P4549H-CH | 4" SELF SEAL CH COUPLING | 30.00 |
| S6549H-B/R-CH | 6" SELF SEAL CH COUPLING | 80.50 |
| P2549H-G-CHE | 2" CORED HOLE WATER PROOF SLV | 16.75 |
| P3549H-G-CHE | 3" CORED HOLE WATER PROOF SLV | 30.25 |
| P4549H-G-CHE | 4" CORED HOLE WATER PROOF SLV | 41.75 |
| OPTIONS: | ADD \$2.00 EA. WHEN CORED HOLE SLEEVES ARE 8" OR 10" LONG. LONGER SLEEVES ARE AVAILABLE WITH EXTRA CHARGES. | |
| PS 32 | WATER GUARD SLEEVE WITH EXTENSION COUPLING | |
| P2549H-C | 2" SLEEVE W/ EXT COUPLING | 17.30 |
| P3549H-C | 3" SLEEVE W/ EXT COUPLING | 29.60 |
| P4549H-C | 4" SLEEVE W/ EXT COUPLING | 34.60 |
| S6549H-C | 6" SLEEVE W/ EXT COUPLING | 85.60 |
| PS 33 | FIRE RATED WALL PENETRATIONS FOR PVC PIPE | |
| S25494-WS | 2" HUB SEAL SLEEVE | 10.50 |
| S35494-WS | 3" HUB SEAL SLEEVE | 22.00 |
| S45494-WS | 4" HUB SEAL SLEEVE | 33.25 |

| PART NO. | DESCRIPTION | UNIT TRADE PRICE |
|--------------|---|------------------------|
| PS 34 | WATER PROOFING SLEEVE WITH EXTENSION COUPLING & RING | |
| P2549H-CR | 2" SLEEVE W/ EXT CPLG & RING | 23.90 |
| P3549H-CR | 3" SLEEVE W/ EXT CPLG & RING | 36.25 |
| P4549H-CR | 4" SLEEVE W/ EXT CPLG & RING | 41.30 |
| S6549H-CR | 6" SLEEVE W/ EXT CPLG & RING | 91.50 |
| PS 35 | WATER PROOFING SELF SEAL SLEEVE EXTENSION COUPLING FOR CORRUGATED METAL. | |
| P2549H-C-CM | 2" SELF SEAL EXT COUPLING | 21.40 |
| P3549H-C-CM | 3" SELF SEAL EXT COUPLING | 31.60 |
| P4549H-C-CM | 4" SELF SEAL EXT COUPLING | 48.35 |
| S6549H-C-CM | 6" SELF SEAL EXT COUPLING | 86.10 |
| P2549H-CR-CM | 2" SELF SEAL EXT COUPLING & RING | 28.90 |
| P3549H-CR-CM | 3" SELF SEAL EXT COUPLING & RING | 43.85 |
| P4549H-CR-CM | 4" SELF SEAL EXT COUPLING & RING | 56.85 |
| S6549H-CR-CM | 6" SELF SEAL EXT COUPLING & RING | 95.90 |
| PS 36 | SELF SEAL WALL SLEEVE FOR GYPSUM WALLS | |
| S25498-GW | 2" SELF SEAL GW SLEEVE | 21.75 |
| S35498-GW | 3" SELF SEAL GW SLEEVE | 33.20 |
| S45498-GW | 4" SELF SEAL GW SLEEVE | 49.60 |
| PS 37 | SELF SEAL WALL FOR MASONRY BLOCK WALLS | |
| S2549H-MW | 2" SELF SEAL MW SLEEVE | 21.75 |
| S3549H-MW | 3" SELF SEAL MW SLEEVE | 33.20 |
| S4549H-MW | 4" SELF SEAL MW SLEEVE | 49.60 |
| PS 38 | SELF SEAL WALL SLEEVE FOR POURED CONCRETE | |
| P2549H-PCW | 2" SELF SEAL PCW SLEEVE | 20.25 |
| P3549H-PCW | 3" SELF SEAL PCW SLEEVE | 45.20 |
| P4549H-PCW | 4" SELF SEAL PCW SLEEVE | 66.15 |
| PS 39 | SELF SEAL FLUSH FIT STACK ASSEMBLY | |
| P2549H-FF | 2" FLUSH FIT SS COUPLING | 12.95 |
| P3549H-FF | 3" FLUSH FIT SS COUPLING | 25.50 |
| P4549H-FF | 4" FLUSH FIT SS COUPLING | 30.00 |
| PS 40 | RISER SUPPORT FITTING FOR PLASTIC PIPE PASSING THROUGH FLOOR CEILING ASSEMBLIES | |
| P15551 | 1-1/2" PVC RISER SUPPORT | 2.30 |
| P25551 | 2" PVC RISER SUPPORT | 2.00 |
| P35551 | 3" PVC RISER SUPPORT | 3.20 |
| PS 41 | CORED HOLE SLEEVE COUPLING FOR SOLVENT CEMENTING | |
| P2555H | 2" CORED HOLE COUPLING (FITS 3" HOLE) | 7.60 |
| P3555H | 3" CORED HOLE COUPLING (FITS 4" HOLE) | 10.10 |
| P4555H | 4" CORED HOLE COUPLING (FITS 5" HOLE) | 12.65 |
| P6555H | 6" CORED HOLE COUPLING (FITS 7" HOLE) | 18.95 |
| PS 42 | CORED HOLE STACK STUB FOR CAST IRON STACKS WITH SOCKET ON TOP AND BOTTOM WHEN USING E-Z FLEX ON BOTTOM AND P90 ON TOP. | |
| P2558H | 2" CORED HOLE STACK STUB | 7.90 |
| P3558H | 3" CORED HOLE STACK STUB | 10.45 |
| P4558H | 4" CORED HOLE STACK STUB | 13.10 |
| P6558H | 6" CORED HOLE STACK STUB | 19.50 |
| PS 43 | PRE-CAST SHOWER DRAINS FOR POURED CONCRETE. | |
| P4561H-SSW | 4" X 2" PRECAST SHOWER DRAIN | 37.00 |
| SR-73SS | 7" X 3" SMOKE SEAL | 3.25 |
| PS 44 | CAST-IN TUB BOX FOR CONNECTING TUB DRAIN IN POURED CONCRETE FLOOR. | |
| P2562H | 2" TUB BOX ASSEMBLY W/ 2 LEGS | 16.05 |
| P4562H | 4" TUB BOX ASSEMBLY W/ 2 LEGS | 19.75 |
| P2562H-1EF | 2" TUB BOX W/ 1" EXTRA FOAM | 17.20 |
| P62L | 10" PVC TUB LEGS (SET OF 2) | 4.00 |
| P2562H-HAM | TUB BOX FOR 3" HAMBRO POUR | 23.00 |

OPTIONS: ADD "CM" TO END OF PART NUMBER FOR METAL DECKS.

| PART NO. | DESCRIPTION | UNIT TRADE PRICE |
|---|---|------------------------|
| PS 45 | STRAINERS | |
| 2634 | 2" ADJ STRAINER 4.25" ROUND TOP | 26.00 |
| 2635 | 2" ADJ STRAINER 5 1/2" ROUND TOP | 41.80 |
| 3635 | 3" ADJ STRAINER 5 1/2" ROUND TOP | 41.80 |
| 3635SQ | 3" ADJ STRAINER SQUARE TOP | 49.80 |
| 3636 | 6" NB ROUND STRAINER 3 1/2" IPS THREAD | 49.80 |
| PS 46 | HI-TEMP P-90 PVC TUB & SHOWER BOX FOR FIRE RATING "A" TUB OR SHOWER THRU WOOD FLOORS. (CUT A 6-1/4" x 10-1/4" SLOT IN WOOD FOR 5 BOX.) | |
| P25620S | TUB BOX FOR WOOD CONSTRUCTION | 13.90 |
| PS 47 | CAST-IN ADJUSTABLE SHOWER/FLOOR DRAIN FOR BUILT-IN SHOWER FLOORS. | |
| P2563H | 2" CAST-IN SHOWER | 44.10 |
| P3563H | 3" CAST-IN SHOWER | 43.85 |
| P2563H-SD | 2" CAST-IN SHOWER DRAIN W/TLPC | 33.00 |
| P25630 | PIECE 2" CAST-IN SHOWER DRAIN ONLY | 38.20 |
| P2563H-SSW | 2" CAST-IN SHOWER W/SELF SEAL WRAP | 52.75 |
| P3563H-SSW | 3" CAST-IN SHOWER W/SELF SEAL WRAP | 63.20 |
| OPTIONS: ADD "F" TO ABOVE PART NUMBER IF USING AS FLOOR DRAIN. ADD "CM" TO END OF PART NUMBER FOR METAL DECKS. "PB" FOR POLISHED BRASS. "CP" FOR CHROME PLATED. "NB" FOR NICKLE BRONZE. ADD "X" FOR 5" TOP. Call Factory for additional strainer tops and pricing. | | |
| PS 48 | CORED HOLE SHOWER DRAIN STUB FOR BUILT-IN SHOWER FLOORS." | |
| P25630 | 2" TOP ONLY DRAIN BASE & STRAINER | 38.20 |
| P35630 | 3" TOP ONLY DRAIN BASE & STRAINER | 38.20 |
| P45630 | 4" TOP ONLY DRAIN BASE & STRAINER | 38.20 |
| P25630-WC | 2" TOP ONLY DRAIN BASE & STRAINER W/CPLG | 38.90 |
| P2563H-CH | 2" CORED HOLE SHOWER | 44.10 |
| P3563H-CH | 3" CORED HOLE SHOWER | 43.85 |
| P2563H-CH-SSW | 2" CORED HOLE SHOWER W/SELF SEAL WRAP | 52.75 |
| P3563H-CH-SSW | 3" CORED HOLE SHOWER W/SELF SEAL WRAP | 67.35 |
| P2563H-CM-SSW | 2" SHOWER/FLOOR DRAIN | 52.75 |
| P3563H-CM-SSW | 3" SHOWER/FLOOR DRAIN | 63.20 |
| P4563H-CM-SSW | 4" SHOWER/FLOOR DRAIN | 67.20 |
| OPTIONS: Add "PB" FOR POLISHED BRASS. "CP" FOR CHROME PLATED. "NB" FOR NICKLE BRONZE. SEE ADDITIONAL PRICE SHEET FOR TRAP GUARD DRAINS | | |
| PS 49 | FLOOR HUB DRAIN STUB FOR POURED CONCRETE | |
| P23FHDS | 2 X 3 HUB DRAIN W/FLUSH STRAINER | 18.25 |
| P24FHDS | 2 X 4 HUB DRAIN W/FLUSH STRAINER | 25.25 |
| P34FHDS | 3 X 4 HUB DRAIN W/FLUSH STRAINER (ADD "RS" FOR RECESS STRAINER) | 30.25 |
| P23FHDS-SSW | 2 X 3 HUB DRAIN W/STRAINER & SSW | 24.25 |
| P24FHDS-SSW | 2 X 4 HUB DRAIN W/STRAINER & SSW | 31.25 |
| P34FHDS-SSW | 3 X 4 HUB DRAIN W/STRAINER & SSW | 39.00 |
| PS 50 | WATER-PROOF TRI-LEVEL DECK DRAIN | |
| P2565H-ADR | 2" DECK DRAIN STUB W/WATERSTOP RING | 21.40 |
| P3565H-ADR | 3" DECK DRAIN STUB W/WATERSTOP RING | 30.30 |
| P4565H-ADR | 4" DECK DRAIN STUB W/WATERSTOP RING | 36.90 |
| P25650-WC | 2" DECK DRAIN STRAINER | 34.90 |
| P35650-WC | 3" DECK DRAIN STRAINER | 36.70 |
| P45650-WC | 4" DECK DRAIN STRAINER | 38.20 |
| PS 51 | CAST-IN 8-1/2" DIA. MEDIUM DUTY AREA DRAIN FOR DRAINAGE SUCH AS PARKING DECKS. | |
| P3565HX | 3" MEDIUM C.I. AREA DRAIN | 60.15 |
| P4565HX | 4" MEDIUM C.I. AREA DRAIN | 62.45 |
| P3565HX-SSW | 3" MEDIUM C.I. AREA DRAIN FOR PVC | 79.20 |
| P4565HX-SSW | 4" MEDIUM C.I. AREA DRAIN FOR PVC | 90.70 |
| OPTIONS: ADD "CM" TO END OF PART NUMBER FOR METAL DECKS. | | |

| PART NO. | DESCRIPTION | UNIT TRADE PRICE |
|--|---|------------------------|
| PS 52 | CAST-IN FLOOR DRAIN STUB FOR AREA DRAINING THRU A CONCRETE FLOOR. | |
| P2565H | 2" FLOOR DRAIN W/5-1/2" STRAINER | 36.40 |
| P3565H | 3" FLOOR DRAIN W/5-1/2" STRAINER | 39.80 |
| P4565H | 4" FLOOR DRAIN W/5-1/2" STRAINER | 41.65 |
| P2565H-SSW | 2" FLOOR DRAIN W/SELF SEAL WRAP | 45.05 |
| P3565H-SSW | 3" FLOOR DRAIN W/SELF SEAL WRAP | 60.50 |
| P4565H-SSW | 4" FLOOR DRAIN W/SELF SEAL WRAP | 77.85 |
| P25650 | 2" FLOOR DRAIN ONLY BASE & STRN ONLY | 34.20 |
| P35650 | 3" FLOOR DRAIN ONLY BASE & STRN ONLY | 34.20 |
| P45650 | 4" FLOOR DRAIN ONLY BASE & STRN ONLY | 34.20 |
| OPTIONS: ADD "PB" FOR POLISHED BRASS. "CP" FOR CHROME PLATED. (SEE G3 SERIES FOR ADJUSTABLE DRAIN TOPS) | | |
| PS 53 | FLOOR DRAIN | |
| P2565H-CM-SSW | 2" FLOOR DRAIN | 52.25 |
| P3565H-CM-SSW | 3" FLOOR DRAIN | 65.45 |
| P4565H-CM-SSW | 4" FLOOR DRAIN | 77.85 |
| PS 54 | CORED HOLE DRAIN STUB FOR AREA DRAINING THRU A CONCRETE FLOOR. | |
| P2565H-CH | 2" FLOOR DRAIN W/5-1/2" STRAINER | 37.00 |
| P3565H-CH | 3" FLOOR DRAIN W/5-1/2" STRAINER | 40.65 |
| P4565H-CH | 4" FLOOR DRAIN W/5-1/2" STRAINER | 42.60 |
| P2565H-CH-SSW | 2" FLOOR DRAIN W/SELF SEAL WRAP | 43.30 |
| P3565H-CH-SSW | 3" FLOOR DRAIN W/SELF SEAL WRAP | 57.70 |
| P4565H-CH-SSW | 4" FLOOR DRAIN W/SELF SEAL WRAP | 70.60 |
| OPTIONS: ADD "CM" TO END OF PART NUMBER FOR METAL DECKS. "PB" FOR POLISHED BRASS. "CP" FOR CHROME PLATED. "NB" FOR NICKLE BRONZE. | | |
| PS 55 | CAST-IN & CORED HOLE ROOF DRAIN W/C.I. DOME FOR AREA DRAINING THRU A CONCRETE ROOF. | |
| P2567H | 2" ROOF DRAIN STUB ASSEMBLY | 46.15 |
| P3567H | 3" ROOF DRAIN STUB ASSEMBLY | 50.30 |
| P4567H | 4" ROOF DRAIN STUB ASSEMBLY | 51.45 |
| P2567H-CH | 2" ROOF DRAIN W/C.I. DOME | 46.15 |
| P3567H-CH | 3" ROOF DRAIN W/C.I. DOME | 50.60 |
| P4567H-CH | 4" ROOF DRAIN W/C.I. DOME | 51.55 |
| P35670 | 3" ROOF DRAIN ONLY | 44.00 |
| P45670 | 4" ROOF DRAIN ONLY | 44.00 |
| P2567H-SSW | 2" ROOF DRAIN STUB W/SELF SEAL WRAP | 54.75 |
| P3567H-SSW | 3" ROOF DRAIN STUB W/SELF SEAL WRAP | 60.10 |
| P4567H-SSW | 4" ROOF DRAIN STUB W/SELF SEAL WRAP | 87.65 |
| OPTIONS: ADD "CM" TO END OF PART NUMBER FOR METAL DECKS. | | |
| PS 56 | CLEAN-OUT BODY & "NB" COVER FOR UNDERGROUND INSTALLATION. | |
| P25690 | 2" FLOOR CLEAN-OUT W/NO HUB OUTLET | 55.00 |
| P35690 | 3" FLOOR CLEAN-OUT W/NO HUB OUTLET | 69.40 |
| P45690 | 4" FLOOR CLEAN-OUT W/NO HUB OUTLET | 73.15 |
| OPTIONS: ADD "CM" TO END OF PART NUMBER FOR METAL DECKS. | | |
| PS 57 | PROTECTIVE CAP ONLY | |
| P8892 | 2" PROTECTIVE CAP | .30 |
| P8893 | 3" PROTECTIVE CAP | .40 |
| P8894 | 4" PROTECTIVE CAP | .60 |
| P8896 | 6" PROTECTIVE CAP | 2.95 |
| OPTIONS: COLORS- BLACK (BLK) - GREEN (G) - RED (R) | | |
| PS 58 | CODE RED FIRESTOP STACK FITTING FOR PVC OR ABS PLASTIC STACKS IN FLOOR/CEILING ASSEMBLIES. BELOW DEVICES HAVE NO TAIL AND A 2 HOUR RATNG. | |
| P25900-NT | 2" FIRESTOP STACK FITTING | 10.35 |
| P35900-NT | 3" FIRESTOP STACK FITTING | 20.70 |
| P45900-NT | 4" FIRESTOP STACK FITTING | 39.10 |
| P65900-NT | 6" FIRESTOP STACK FITTING | 69.50 |

| PART NO. | DESCRIPTION | UNIT TRADE PRICE |
|--|--|------------------------|
| PS 59 | NO-HUB STACK STUB OUT W/P-90 PVC FOR CONNECTING TO TRANSITION COUPLING ON EITHER SIDE. | |
| P25902 | 2" X 2" P-90 STUB-OUT F.R. NIPPLE | .60 |
| P35903 | 3" X 3" P-90 STUB-OUT F.R. NIPPLE | 1.30 |
| P45904 | 4" X 3" P-90 STUB-OUT F.R. NIPPLE | 1.75 |
| P65906 | 6" X 6" P-90 STUB-OUT F.R. NIPPLE | 7.50 |
| PS 60 | COLOR CODED ANCHORTECK CONCRETE INSERT FOR THREADED ROD. | |
| A00114 | 1/4" CONCRETE INSERT | 1.10 |
| A00138 | 3/8" CONCRETE INSERT | 1.10 |
| A00112 | 1/2" CONCRETE INSERT | 1.30 |
| A00158 | 5/8" CONCRETE INSERT | 3.35 |
| A00134 | 3/4" CONCRETE INSERT | 3.50 |
| OPTIONS: COLORS- BLACK (BLK) - BLUE (BLU) -BROWN (BRN) - GREEN (G) ORANGE (O) - RED (R) | | |
| PS 61 | FIRE RATED AIR VALVE/FIRESTOP ASSEMBLY FOR COMBINATION PLUMBING VENT AND FIRESTOP. | |
| P25112 | 1-1/2" & 2" FIRE RATED BRAND AIR VENT | 15.40 |
| SN200 | SNAP-IN AIR GRILL | 5.00 |
| PS 62 | PRIMER & FLEXIBLE TO RIGID PVC SOLVENT CEMENT | |
| A81121 | QUART OF SOLVENT CEMENT | 10.75 |
| A81122 | GALLON OF SOLVENT CEMENT | 34.50 |
| A81170 | QUART OF PRIMER | 9.55 |
| A81171 | GALLON OF PRIMER | 29.80 |
| PS 63 | ADHESIVE CAULKING FOR SEALING CORED COUPLING AND CAST IRON PASS THRU STACKS. | |
| A81155 | 11 FL OZ CARTRIDGE | 6.90 |
| PS 64 | FIRESTOP CAULKING FOR SEALING VOID BETWEEN THE PIPE AND THE SLEEVE. | |
| A81160 | 11-3/4 FL. OZ CARTRIDGE FLOORS OR WALLS | 16.00 |
| A81161 | 11-3/4 FL. OZ SELF LEVELING FIRE CAULK | 16.00 |
| PS 65 | CLOSET CARRIER FOR PLASTIC PIPE | |
| C33000 | CLOSET SUPPORT CARRIER | 75.00 |
| C33000X | W/EXTRA BACK SUPPORT LEG | 90.00 |
| PS 66 | FIREFILL FOR FILLING VOID & PIPE INSULATION FOR SYSTEM A. | |
| F10450 | 20-LB BOX OF CERAMIC FIBER COMPOUND | 82.80 |
| F10450-10 | 10-LB BOX OF CERAMIC FIBER COMPOUND | 45.00 |
| PS 67 | FLEX-ALIGN TUB FITTING FOR CORRECTING OFF-LINE TUB CONNECTIONS. | |
| P62000 | 1-1/2" FLEX-ALIGN ONLY FOR PVC | 3.45 |
| P62000B | 1-1/2" FLEX-ALIGN W/2 CLAMPS | 5.25 |
| PS 68 | J-BEND METAL HANGER ASSEMBLY FOR 2" - 3" | |
| A02238 | 2" HANGER ASSEMBLY | 3.30 |
| A03238 | 3" HANGER ASSEMBLY | 5.30 |
| A04238 | 4" HANGER ASSEMBLY | 12.90 |
| PS 69 | HI-TEMP P-90 1-1/2" PVC STUB-OUT FOR LAVS AND SINKS | |
| P1 1/2-90 | HI-TEMP PVC STUB-OUT PIPE | 2.35 PER FOOT |

| PART NO. | DESCRIPTION | UNIT TRADE PRICE |
|----------|-----------------------------|------------------------|
| PS 70 | RISER CLAMP ASSEMBLY. | |
| A02214 | 2" RISER CLAMP ASSEMBLY | 2.70 |
| A03212 | 2-1/2" RISER CLAMP ASSEMBLY | 3.50 |
| A03214 | 3" RISER CLAMP ASSEMBLY | 3.00 |
| A04214 | 4" RISER CLAMP ASSEMBLY | 3.75 |
| A05214 | 5" RISER CLAMP ASSEMBLY | 6.00 |
| A06214 | 6" RISER CLAMP ASSEMBLY | 6.15 |

OPTIONS: WHEN ORDERING RISER CLAMP, USE "CU" FOR COPPER. "CI" FOR CAST IRON. "S" FOR STEEL. "EMT" FOR ELECTRICAL TUBING.

| PART NO. | DESCRIPTION | UNIT TRADE PRICE |
|----------|-------------------------|------------------------|
| PS 71 | NOISE ISOLATION RING | |
| A02 | 2" NOISE ISOLATION RING | 1.50 |
| A03 | 3" NOISE ISOLATION RING | 2.25 |
| A04 | 4" NOISE ISOLATION RING | 3.50 |
| A06 | 6" NOISE ISOLATION RING | 5.75 |

| PART NO. | DESCRIPTION | UNIT TRADE PRICE |
|----------|----------------------|------------------------|
| PS 72 | FIRE RATED PIPE ONLY | |
| P11/2-90 | F.R. PVC PIPE | 2.60 PER FOOT |
| P2-90 | F.R. PVC PIPE | 2.90 PER FOOT |
| P3-90 | F.R. PVC PIPE | 4.60 PER FOOT |
| P4-90 | F.R. PVC PIPE | 6.40 PER FOOT |

| PART NO. | DESCRIPTION | UNIT TRADE PRICE |
|----------|--|------------------------|
| PS 73 | RIGHT ANGEL METAL STRIPS TO SPAN METAL DECK CORRUGATIONS TO SECURE SLEEVE COUPLING | |
| S34348 | RIGHT ANGLE METAL STRIP 8" | 1.00 |

| PART NO. | DESCRIPTION | UNIT TRADE PRICE |
|------------|--|------------------------|
| PS 74 | COMPONENT PARTS CAN BE PURCHASED SEPARATELY. | |
| P2B-43 | 2" F.R. CPLG. FOR C.I. OR STEEL PIPE 2" | .30 PER INCH |
| P2G/R-43 | 2" F.R. CPLG. FOR C.U. OR PLASTIC PIPE 3" | .30 PER INCH |
| P3B/G/R-43 | 3" F.R. COUPLING PIPE | .45 PER INCH |
| P4B/G/R-43 | 4" F.R. COUPLING PIPE | .65 PER INCH |
| P6B/R-43 | 6" F.R. COUPLING PIPE | 1.30 PER INCH |

OPTIONS: COUPLING PIPE IS 5ft OR 10ft IN LENGTH WITH BLACK, GREEN, OR RED LETTERING. WHEN ORDERING, USE THE LETTER "B", "G" OR "R" BEHIND THE PART NUMBER. THE P-90 HI-TEMP PIPE HAS BLUE LETTERING. BLACK IS FOR C.I. OR STEEL PASS THRU PIPE. GREEN IS FOR PASS THRU PLASTIC PIPE. RED IS A TIGHT FIT USED FOR SOLVENT WELDING TO PLASTIC PIPE.

| PART NO. | DESCRIPTION | UNIT TRADE PRICE |
|------------|--|------------------------|
| PS 75 | PROSEAL PLUGS USED IN SYSTEM "A" ARE NOW MADE TO ACCOMMODATE CPVC AS WELL AS COPPER. PLUGS ARE AVAILABLE FOR EMT ELECTRICAL, CABLES AND MULTIPLES. | |
| C20000 | 2" BLANK PLUG | 2.40 |
| C20012 | FOR 1/2" COPPER | 2.40 |
| C20034 | FOR 1/2" IPS & 3/4" COPPER | 2.40 |
| C20100 | FOR 3/4" IPS & 1" COPPER | 2.40 |
| C20114 | FOR 1" IPS & 1-1/4" COPPER | 2.40 |
| C20114-P | FOR 1-1/4" IPS | 2.40 |
| C20112 | FOR 1-1/2" COPPER | 2.40 |
| C20112-P | FOR 1-1/2" IPS | 2.40 |
| C20012EMT | FOR 1/2" EMT | 2.40 |
| C20034EMT | FOR 3/4" EMT | 2.40 |
| C20100EMT | FOR 1" EMT | 2.40 |
| C20114EMT | FOR 1-1/4" EMT | 2.40 |
| C20112EMT | 1-1/4" IPS & 1-1/2" EMT | 2.40 |
| C25660 | FOR BIDET | 2.40 |
| C25662 | TUBULAR SIZE TUB BRUSHING | 2.40 |
| CP25661 | PIPE SIZE TUB BRUSHING | 2.40 |
| C30200 | FOR 2" COPPER | 5.50 |
| C30200-EMT | EMT FOR 2" EMT | 5.50 |
| C30200-P | FOR 2" IPS | 6.50 |
| C40212 | FOR 2-1/2" COPPER | 6.70 |
| C40212-P | FOR 2-1/2" IPS | 6.70 |
| C40300 | FOR 3" COPPER | 6.70 |
| C40300-P | FOR 3" IPS & 3" EMT | 7.70 |
| P60400EMT | FOR 4" EMT | 8.85 |
| P60400-T | FOR 4" COPPER | 8.85 |
| LP60400 | FOR 4" IPS | 8.85 |
| P60500 | FOR 5" COPPER | 8.85 |
| LP60500-T | FOR 5" IPS | 8.85 |
| LP80600 | FOR 6" IPS | 17.40 |
| LP10800 | FOR 8" IPS | 26.50 |
| LP12100 | FOR 10" IPS | 33.35 |

We are committed to: Promote the plumbing/piping contractor and his scope of work, increase his productivity, reduce his cost, improve his planning and work quality by using Performance based product systems."

PRODUCT DIRECTORY

| | | | | | |
|-------------------------------|------|------------------------------|------|---------------------------------|-----------|
| ANCHORS (CONCRETE INSERTS) | PS60 | DRAINS (ROOF) | PS55 | SELF SEAL GYPSUM WALL | PS36 |
| AUTO AIR VALVE DEVICE | PS61 | DRAINS (CORED HOLE FLOOR) | PS54 | SELF SEAL MASONRY WALL | PS37 |
| CAPS ONLY | PS57 | EXTENSION COUPLING | PS02 | SELF SEAL POURED CONCRETE WALL | PS38 |
| CAST-IN SLEEVE COUPLING | PS22 | E-Z-FLEX | PS24 | SELF SEAL W/EXT COUPLING | PS32 |
| CAULK-ADHESIVE | PS63 | E-Z FLEX NO HUB | PS25 | SELF SEAL W/EXT COUPLING FOR CM | PS35 |
| CAULK-FIRESTOPPING | PS64 | FASTENING FLANGE #43 | PS09 | SLEEVE CORED HOLE WATER GUARD | PS17 |
| CLEAN OUTS | PS56 | FIRE RATED PIPE, ONLY | PS72 | SLEEVE INSULATED PIPE | PS16 |
| CLOSET FLANGE(STREET) | PS05 | FIREFILL | PS66 | SLEEVE WATER GUARD W/EXT. | PS18 |
| CLOSET FLANGE (WOOD) | PS04 | FLEX-ALIGN FITTING | PS67 | SLEEVE WATER GUARD W/EXT & RING | PS19 |
| CLOSET STUB (ASSEMBLY) | PS20 | HI-TEMP PVC STUB-OUT PIPE | PS69 | SLEEVE WATER GUARD W/RING | PS34 |
| CLOSET STUB-CORED HOLE | PS21 | J-BEND HANGERS | PS68 | SLEEVE COUPLING CM | PS12 |
| CLOSET STUB ONLY-W/O FLANGE | PS26 | NOISE ISOLATION RINGS | PS71 | SLEEVE COUPLING #43 CORED HOLE | PS13 |
| CORED HOLE COUPLINGS | PS41 | P-90 STUB-OUT | PS59 | SLEEVE COUPLING CAST IN | PS11 |
| CORED HOLE STACK STUB | PS42 | PRE-CAST SHOWER DRAINS | PS43 | SOLVENT CEMENT & PRIMER | PS62 |
| COUPLING PIPE (ONLY) | PS74 | PROSEAL PLUGS | PS75 | SOVENT BOX OPENINGS | PS08 |
| DRAINS (FLOOR/SHOWER CAST IN) | PS47 | RISER CLAMP ASSEMBLY | PS70 | STACK STUB CAST-IN #48 | PS27 |
| DRAINS—CORED HOLE & CM | PS48 | RISER SUPPORT | PS40 | STRAINERS | PS45 |
| DRAINS (DECK) | PS50 | SEAL RINGS | PS10 | TUB BOX FOR POURED CONCRETE | PS44 |
| DRAINS (FLOOR) | PS52 | SELF SEAL CM SLEEVE | PS30 | TUB BOX WOOD ASSEMBLY | PS46 |
| DRAINS (FLOOR-CM) | PS53 | SELF SEAL CORED HOLE | PS31 | WALL HUB SELF SEAL SLEEVE | PS33 |
| DRAINS (FLOOR HUB W/STRAINER) | PS49 | SELF SEAL FLANGE ONLY | PS28 | WALL SLEEVE—GYPSUM | PS14 |
| DRAINS (HEAVY DUTY AREA) | PS51 | SELF SEAL COUPLING #49 | PS29 | WALL SLEEVE-MASONRY | PS15 |
| DRAINS (PLANTER) | PS23 | SELF SEAL FLUSH FIT COUPLING | PS39 | WASHER BOX/ICE MAKER BOX | PS07 |
| | | | | WATER GUARD PARTS | PS1,2,3,6 |

LIMITED PARTS WARRANTY

Sellers products are carefully inspected for manufacturing defects; however, it is not always possible to detect hidden defects. Said products are warranted only to the extent that seller will replace without charge, products proved to have manufacturing defects within 6 months of the date of delivery thereof and provided seller has been given an opportunity to inspect the product alleged to be defective and the installation or use thereof. NO WARRANTY IS INCLUDED AGAINST ANY EXPENSE FOR REMOVAL, REINSTALLATION OR OTHER CONSEQUENTIAL DAMAGES ARISING FROM ANY DEFECT. THE WARRANTIES SET OUT ABOVE ARE THE ONLY WARRANTIES MADE BY SELLER AND ARE EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING THE WARRANTIES OR MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

UPDATED 06/08