

Copyright (c) 2003-2006, ProSet Systems Inc., All Rights Reserved

ProSet Systems Inc
1355 Capital Circle Lawrenceville Georgia 30043-5866 770-339-1782 800-262-5355 Fax: 770-339-1784 www.ProSetSystems.com www.ProSetDesign.com www.TrapGuard.com

PRODUCT DIRECTORY

ANCHORS (CONCRETE INSERTS) AUTO AIR VALVE DEVICE CAPS ONLY CAST-IN SLEEVE COUPLING CAULK-ADVESIVE CAULK-FIRESTOPPING CLEAN OUTS CLOSET FLANGE(STREET) CLOSET FLANGE (WOOD) CLOSET STUB (ASSEMBLY) CLOSET STUB-CORED HOLE CLOSET STUB ONLY-W/O FLANGE CORED HOLE COUPLINGS CORED HOLE STACK STUB COUPLING PIPE (ONLY) DRAINS (FLOOR/SHOWER CAST IN) DRAINS-CORED HOLE & CM DRAINS (DECK) DRAINS (FLOOR) DRAINS (FLOOR-CM) DRAINS (FLOOR HUB W/STRAINER) DRAINS (HEAVY DUTY AREA) DRAINS (PLANTER)

PS58 DRAINS (ROOF) DRAINS (CORED HOLE FLOOR) PS59 PS56 EXTENSION COUPLING PS21 E-Z-FLEX E-Z FLEX NO HUB PS61 FASTENING FLANGE #43 PS62 FIRE RATED PIPE, ONLY PS56 FIREFILL PS05 PS04 FLEX-ALIGN FITTING HI-TEMP PVC STUB-OUT PIPE PS19 PS20 J-BEND HANGERS NOISE ISOLATION RINGS PS25 PS40 P-90 STUB-OUT PS41 PRE-CAST SHOWER DRAINS PS71 PROSEAL PLUGS RISER CLAMP ASSEMBLY PS46 RISER SUPPORT PS47 PS49 SEAL RINGS PS51 SELF SEAL CM SLEEVE SELF SEAL CORED HOLE PS52 SELF SEAL FLANGE ONLY **PS48** PS50 SELF SEAL COUPLING #49 SELF SEAL FLUSH FIT COUPLING PS22

PS54 SELF SEAL GYPSUM WALL PS35 SELF SEAL MASONRY WALL PS53 PS36 PS02 SELF SEAL POURED CONCRETE WALL PS37 PS23 SELF SEAL W/EXT COUPLING PS31 SELF SEAL W/EXT COUPLING FOR CM PS24 PS34 SLEEVE CORED HOLE WATER GUARD PS09 **PS16** PS69 SLEEVE WATER GUARD W/EXT. PS17 SLEEVE WATER GUARD W/EXT & RING PS63 PS18 PS64 SLEEVE WATER GUARD W/RING PS33 SLEEVE COUPLING CM PS66 PS12 SLEEVE COUPLING #43 CORED HOLE SLEEVE COUPLING CAST IN PS65 PS13 PS68 PS11 PS58 SOLVENT CEMENT & PRIMER PS60 PS42 SOVENT BOX OPENINGS PS08 PS72 STACK STUB CAST-IN #48 PS26 PS67 STRAINERS PS44 PS39 TUB BOX FOR POURED CONCRETE PS43 TUB BOX WOOD ASSEMBLY PS10 PS45 PS29 WALL HUB SELF SEAL SLEEVE PS32 WALL SLEEVE-GYPSUM PS30 PS14 WALL SLEEVE-MASONRY **PS27 PS15** WASHER BOX/ICE MAKER BOX PS28 PS07 PS38 WATER GUARD PARTS PS1,2,3,6

IMPORTANT

ALL FIRESTOP COUPLING PENETRATORS ARE PRICED AT 8" IN HEIGHT. THE FAC-TORY WILL CUT AND CAP 8" OR LESS AT NO EXTRA COST. SEE PS 31 FOR PRICES PER INCH THAT EXCEED 8" IN HEIGHT. WHEN ORDERING, CHANGE THE LETTER "H" FOR THE NUMBER TO INDICATE YOUR SPECIFIC SLAB THICKNESS. SEE BACK PAGE FOR PROSET'S PRODUCT DIRECTORY TO FIND THE PS NUMBERED LOCA-TION.

THIS PRICE LIST DOES NOT CONTAIN "ALL" OF PROVENTS' PRODUCTS.

PART NUMBERS AND PART PRICES ARE SUBJECT TO CHANGE.

PART NO.	DESCRIPTION	UNIT TRADE PRICE
PS 01	WATER GUARD RING WITH BAND	
P2814 P3814 P4814 P6814	2" WATER GUARD FLEX RING W/BAND 3" WATER GUARD FLEX RING W/BAND 4" WATER GUARD FLEX RING W/BAND 6" WATER GUARD FLEX RING W/BAND	8.25 8.80 9.35 15.80
PS 02	EXTENSION COUPLINGS ONLY	
P25142 P35142 P45142 P65142	2" EXT. COUPLING ONLY 3" EXT. COUPLING ONLY 4" EXT. COUPLING ONLY 6" EXT. COUPLING ONLY	2.35 2.85 3.20 4.70
PS 03	EXTENSION COUPLING WITH PLUG	
P35142-B/G/R	2" EXT. COUPLING W/PLUG 3" EXT. COUPLING W/PLUG 4" EXT. COUPLING W/PLUG 6" EXT. COUPLING W/PLUG	4.15 4.70 5.30 7.70
PS 04	CLOSET FLANGE ASSEMBLY FOR WOOD FLOORS	
P35344 P45344	3" FLANGE INTO 4" HOLE 4" FLANGE INTO 5" HOLE	8.90 9.60
PS 05	STREET CLOSET FLANGE FOR FITTING INSIDE COUPLING	
P35340 P45340 P35340-SX P45340-SX	3" FLUSH FIT FLANGE 4" FLUSH FIT FLANGE 3" PROSEAL FLUSH FIT FLANGE 4" PROSEAL FLUSH FIT FLANGE	5.90 7.90 8.40 9.10
PS 06	WATER PROOFING EXTENSION ONLY	
P2B/G-43-3 P3B/G-43-3 P4B/G-43-3 P6B/G-43-3	2" X 3" EXT. NIPPLE For C.I OR PASS-THRU 3" X 3" EXT. NIPPLE For C.I. OR PASS THRU 4" X 3" EXT. NIPPLE For C.I. OR PASS THRU 6" X 3" EXT. NIPPLE For C.I. OR PASS THRU	1.35 1.65 2.65 4.95
PS 07	FIRE RATED WASHER BOX FOR FIRESTOPPING WASHER OUTLET ON RATED WALLS.	
P25410-P P25410 P25410-VSG P25410-V P25410-IV P25410-IV P25410-IVA	FIRESTOP BOX FOR MIXING VALVE 2" FIRE RATED WASHER BOX 2" FIRE RATED WASHER BOX W/SUDS GUARD 2" FIRE RATED WASHER BOX W/VALVE 2" FIRE RATED ICE MAKER BOX W/VALVE 2" FIRE RATED WASHER BOX W/AIR-VALVE 2" FIRE RATED ICE MAKER W/AIR VALVE	40.60 38.00 71.00 52.30 44.60 52.00 64.90
PS 08	SOVENT STACK BOX FOR RECESSING A SOVENT AERATOR FITTING 2-1/2" - 4". PREFIX "S" FOR STEEL BOX.	
P4542H P4542H-EZ S3542H S4542H S4542H-EZ S3542H-EZ	4" SOVENT STACK BOX (2-1/2" RECESS) 4" SOVENT STACK BOX W/ E-Z FLEX (2-1/2" RECESS) 3" SOVENT STEEL STACK BOX (4" RECESS) 4" SOVENT STEEL STACK BOX (4" RECESS) 4" SOVENT STEEL STACK BOX W/ E-Z FLEX (4" RECESS) 3" SOVENT STEEL STACK BOX W/ E-Z FLEX (4" RECESS)	31.65 37.95 36.30 37.95 42.90 35.35

		TRA
PART NO. PS 09	DESCRIPTION #43 FASTENING FLANGES ONLY	PRIC
F3 09	#45TASTENING LANGES ONET	
P2543	2" F.R. FASTENING FLANGE	3.95
P3543	3" F.R. FASTENING FLANGE	5.10
P4543	4" F.R. FASTENING FLANGE	5.90
P6543	6" F.R. FASTENING FLANGE	6.50
PS 10	SEAL RING ONLY	
P2243	2" SEAL RING	1.60
P3243	3" SEAL RING	2.20
P4243	4" SEAL RING	3.20
P6243	6" SEAL RING	4.40
PS 11	CAST-IN SLEEVE COUPLING FOR PASS THRU PI	IPE.
P2543H	2" CAST-IN SLEEVE	6.50
P3843H	2 1/2" CAST-IN SLEEVE	11.00
P3543H	3" CAST-IN SLEEVE	9.15
P4543H	4" CAST-IN SLEEVE	11.45
P6843H-R	5" CAST-IN SLEEVE	23.15
P6543H	6" CAST-IN SLEEVE	17.40
P8543H-A	8" CAST-IN PIPE SLEEVE (NO OPTIONS)	22.30
P10543H-A	10" CAST-IN PIPE SLEEVE (NO OPTIONS)	27.85
P12543H-A	12" CAST-IN PIPE SLEEVE (NO OPTIONS)	34.15
	I. OR STEEL PASS THRU PIPE ORDER "B". FOR C.U. U PIPE ORDER "G".	ORDER "
PS 12	SLEEVE COUPLING FOR CORRUGATED METAL	
P2543H-CM	2" CAST-IN-SLEEVE FOR CM	6.50
P3843H-CM	2 1/2" CAST-IN-SLEEVE FOR CM	11.00
P3543H-CM	3" CAST-IN-SLEEVE FOR CM	9.1
P4543H-CM	4" CAST-IN-SLEEVE FOR CM	11.4
P6843H-CM	5" CAST-IN-SLEEVE FOR CM	23.1
P6543H-CM	6" CAST-IN-SLEEVE FOR CM	17.4
PS 13	CORED HOLE SLEEVE COUPLING FOR PASS THR	RU PIPE.
P2543H-CH	2" CORED HOLE SLEEVE (FITS 2-3/4" HOLE)	4.50
P3843H-CH	2 1/2" CORED HOLE SLEEVE (FITS 2 5/4" HOLE)	7.40
P3543H-CH		6.70
	3 CORED HOLE SLEEVE (FITS 4 HOLE)	
P4543H-CH	3" CORED HOLE SLEEVE (FITS 4" HOLE) 4" CORED HOLE SLEEVE (FITS 5" HOLE) 5" CORED HOLE (FITS 7-1/2" HOLE)	9.20
P6843H-CH		22.60
P6543H-CH	6" CORED HOLE (FITS 7-1/2" HOLE)	15.30
	I. OR STEEL PASS THRU PIPE ORDER "B". FOR SOI & "R". FOR PLASTIC PASS THRU PIPE ORDER "G".	LVENT
PS 14	HI-TEMP PVC SLEEVE COUPLING FOR GYPSUM	
	WALL SLEEVE PRICING HAS 2 SEAL RINGS AND LONG.	IS 8″
P2543H-G-GW	2" SLEEVE COUPLING	6.95
P3843H-R-GW	2-1/2" SLEEVE COUPLING	11.55
P3543H-B/R-GW	3" SLEEVE COUPLING	9.60
P4543H-B/R-GW	4" SLEEVE COUPLING	12.40
P6843H-R-GW	5" SLEEVE COUPLING	27.25
P6543H-B/R-GW		19.70
PS 15	HI-TEMP SLEEVE COUPLING FOR BLOCK OR MA	
	WALLS. ALL WALL SLEEVE PRICING HAS 1 SEAL AND IS 8" LONG	RINGS
P2543H-MW	2" SLEEVE COUPLING	4.60
P3843H-MW	2-1/2" SLEEVE COUPLING	7.45
P3543H-MW	3" SLEEVE COUPLING	6.70
	4" SLEEVE COUPLING	9.20
P4543H-MW		22.85
P4543H-MW P6843H-MW	5" SLEEVE COUPLING	22.0.
	6" SLEEVE COUPLING	15.30

PART NO.	DESCRIPTION	UNIT TRADE PRICE		
PS 16	CORED HOLE WATER GUARD SLEEVE			
P2543H-B/G-CHE P3543H-B/G-CHE P4543H-B/G-CHE P6843H-R-CHE P6543H-B/G-CHE	2" SLEEVE COUPLING 3" SLEEVE COUPLING 4" SLEEVE COUPLING 5" SLEEVE COUPLING 6" SLEEVE COUPLING	6.95 9.60 11.90 21.00 17.80		
PS 17	WATER GUARD SLEEVE W/EXTENSION COUPLI	NG		
P2543H-C P3843H-C P3543H-C P4543H-C P6843H-C P6843H-C P6543H-C	2" SLEEVE W/EXT. CPLG 2 1/2" SLEEVE W/EXT. CPLG 3" SLEEVE W/EXT. CPLG 4" SLEEVE W/EXT. CPLG 5" SLEEVE W/EXT. CPLG 6" SLEEVE W/EXT. CPLG	11.60 16.00 15.30 18.70 32.65 27.25		
PS 18	WATER GUARD EXTENSION SLEEVE W/ EXTEN COUPLING & RING	TIONS		
P2543H-CR P3543H-CR P4543H-CR P6843H-CR P6543H-CR	2" SLEEVE W/ EXT. CPLG & RING 3" SLEEVE W/ EXT. CPLG & RING 4" SLEEVE W/ EXT. CPLG & RING 5" SLEEVE W/ EXT. CPLG & RING 6" SLEEVE W/ EXT. CPLG & RING	19.85 24.10 28.05 45.20 43.00		
PS 19	CAST IN CLOSET STUB FOR FLOOR OUTLET W CLOSETS IN POURED CONCRETE FLOORS—WI CAP FLANGE			
P3544H P4544H P3544H-SX P4544H-SX	3" CLOSET STUB-IN W/FLANGE 4" CLOSET STUB-IN W/FLANGE 3" CLOSET STUB W/TEST CAP & FLANGE 4" CLOSET STUB W/TEST CAP & FLANGE	14.85 17.35 19.95 22.70		
PS 20	CORED HOLE CLOSET STUB WITH FLOOR OUT WATER CLOSETS IN PRE-CAST CONCRET FLOO			
P3534H-CH P4534H-CH P3534H-CH-EZ P4534H-CH-EZ	3" CORED HOLE CLOSET FLANGE 4" CORED HOLE CLOSET FLANGE 3" CORED HOLE CLOSET FLANGE W/EZ FLEX 4" CORED HOLE CLOSET FLANGE W/EZ FLEX	15.20 15.75 21.10 22.90		
PS 21	DOME STRAINER PLANTER DRAIN STUB FOR D PLANTING AREAS THRU A CONRETE FLOOR &			
P2546H P3546H P4546H P2564H-PDR P3564H-PDR P4564H-PDR P2546H-SSW P3546H-SSW P4546H-SSW	2" STUB W/DOME STRAINER 3" STUB W/DOME STRAINER 4" STUB W/DOME STRAINER 2" DRAIN STUB W/WATERSTOP RING 3" DRAIN STUB W/WATERSTOP RING 4" DRAIN STUB W/WATERSTOP RING 2" STUB W/SELF SEAL WRAP 3" STUB W/SELF SEAL WRAP 4" STUB W/SELF SEAL WRAP	13.30 17.00 22.00 23.55 33.35 40.60 18.40 33.55 42.45		
OPTIONS: ADD "CM' TO END OF PART NUMBER FOR METAL DECKS.				
PS 22	E-Z FLEX COUPLING FOR PLASTIC TO PLASTIC COUPLING.	TO IRON		
P25470 P35470 P45470	2" E-Z FLEX COUPLING 3" E-Z FLEX COUPLING 4" E-Z FLEX COUPLING	4.40 4.85 6.05		

PART NO.	DESCRIPTION	UNIT TRADE PRICE
PS 23	E-Z NO HUB METAL COUPLING FOR PLASTIC CONNECTION.	To Iron
S25470 S35470 S45470 S65470	2" NO HUB ADAPTOR COUPLING 3" NO HUB ADAPTOR COUPLING 4" NO HUB ADAPTOR COUPLING 6" NO HUB ADAPTOR COUPLING	3.50 6.15 8.20 38.00
PS 24	CAST IN CLOSET STUB FOR FLOOR OUTLET W CLOSETS IN POURED CONCRETE FLOORS. (NO	
P3548H-SX P4548H-SX	3" CLOSET STUB W/TEST CAP LESS FLANGE 4" CLOSET STUB W/TEST CAP LESS FLANGE	
OPTIONS: ADD "CM	" TO END OF PART NUMBER FOR METAL DECKS	5.
PS 25	SELF SEAL STACK STUB FOR PVC WITH SOCKE AND BOTTOM	T ON TOP
P2548H-SSW P3548H-SSW P4548H-SSW S6548H-SSW	2″ SELF SEAL STACK STUB-IN 3″ SELF SEAL STACK STUB-IN 4″ SELF SEAL STACK STUB-IN 6″ SELF SEAL STACK STUB-IN	14.85 29.15 34.10 75.90
P2548H-SSW-CH P3548H-SSW-CH P4548H-SSW-CH	2″ SELF SEAL STACK STUB IN 3″ SELF SEAL STACK STUB IN 4″ SELF SEAL STACK STUB-IN	12.10 26.40 38.50
P2548H-SSW-CM P3548H-SSW-CM P4548H-SSW-CM	2" SELF SEAL STACK STUB-IN FOR CM 3" SELF SEAL STACK STUB-IN FOR CM 4" SELF SEAL STACK STUB-IN FOR CM	20.65 36.90 49.95
PS 26	CAST-IN STACK STUB FOR CAST IRON STACKS SOCKET ON TOP BOTTOM AND WHEN USING ON BOTTOM AND P90 PIPE ON TOP.	
P2548H P3548H P4548H P6548H	2" CAST-IN STACK STUB 3" CAST-IN STACK STUB 4" CAST-IN STACK STUB 6" CAST-IN STACK STUB	7.65 10.50 13.10 20.10
OPTIONS: ADD "CM"	TO END OF PART NUMBER FOR METAL DECKS.	
PS 27	#49 SELF SEAL FLANGES ONLY WITH WRAP	
P25490 P35490 P45490 S65490	2" SELF SEAL FLANGE W/WRAP 3" SELF SEAL FLANGE W/WRAP 4" SELF SEAL FLANGE W/WRAP 6" SELF SEAL FLANGE W/WRAP	11.85 22.95 26.55 60.50
PS 28	SELF SEAL SLEEVE COUPLING FOR POURED IN CONCRETE.	PLACE
P2549H P3549H P4549H S6549H	2" SELF SEAL COUPLING 3" SELF SEAL COUPLING 4" SELF SEAL COUPLING 6" SELF SEAL COUPLING	13.90 26.40 30.80 66.50
OPTIONS: USE "G" CEMENTING.	FOR PLASTIC PASS THRU. USE "R" FOR SOLVEN	ΝT
PS 29	SELF SEAL CM SLEEVE COUPLING FOR CONCRUCE CORRUGATED METAL.	ETE ON
P2549H-CM P3549H-CM P4549H-CM S6549H-CM	2" SELF SEAL CM COUPLING 3" SELF SEAL CM COUPLING 4" SELF SEAL CM COUPLING 6" SELF SEAL CM COUPLING	18.45 33.25 45.95 66.50

OPTIONS: USE "G" FOR PLASTIC PASS THRU. USE "R" FOR SOLVENT CEMENTING

PART NO.	DESCRIPTION	UNIT TRADE <u>PRICE</u>
PS 30	SELF SEAL CORED HOLE SLEEVE COUPLING TH CORED HOLES 4-1/2″ LONG.	IRU
P2549H-CH P3549H-CH P4549H-CH S6549H-B/R-CH	2" SELF SEAL CH COUPLING 3" SELF SEAL CH COUPLING 4" SELF SEAL CH COUPLING 6" SELF SEAL CH COUPLING	12.10 24.20 33.00 73.15
P2549H-G-CHE P3549H-G-CHE P4549H-G-CHE	2" Cored Hole Water Proof SLV 3" Cored Hole Water Proof SLV 4" Cored Hole Water Proof SLV	18.45 33.25 45.95
	0 EA. WHEN CORED HOLE SLEEVES ARE 8" OR 1 E AVAILABLE WITH EXTRA CHARGES.	0″ LONG.
PS 31	WATER GUARD SLEEVE WITH EXTENSION COU	JPLING
P2549H-C P3549H-C P4549H-C S6549H-C	2" SLEEVE W/ EXT COUPLING 3" SLEEVE W/ EXT COUPLING 4" SLEEVE W/ EXT COUPLING 6" SLEEVE W/ EXT COUPLING	19.00 32.55 38.05 73.15
PS 32	FIRE RATED WALL PENETRATIONS FOR PVC P	PE
S25494-WS S35494-WS S45494-WS	2" HUB SEAL SLEEVE 3" HUB SEAL SLEEVE 4" HUB SEAL SLEEVE	11.55 24.20 36.55
PS 33	WATER PROOFING SLEEVE WITH EXTENSION & RING	COUPLING
P2549H-CR P3549H-CR P4549H-CR S6549H-CR	2" SLEEVE W/ EXT CPLG & RING 3" SLEEVE W/ EXT CPLG & RING 4" SLEEVE W/ EXT CPLG & RING 6" SLEEVE W/ EXT CPLG & RING	26.30 39.90 45.45 89.80
PS 34	WATER PROOFING SELF SEAL SLEEVE EXTENS COUPLING FOR CORRUGATED METAL.	ION
P2549H-C-CM P3549H-C-CM P4549H-C-CM S6549H-C-CM P2549H-CR-CM P3549H-CR-CM S6549H-CR-CM	2" SELF SEAL EXT COUPLING 3" SELF SEAL EXT COUPLING 4" SELF SEAL EXT COUPLING 6" SELF SEAL EXT COUPLING 2" SELF SEAL EXT COUPLING & RING 3" SELF SEAL EXT COUPLING & RING 4" SELF SEAL EXT COUPLING & RING 6" SELF SEAL EXT COUPLING & RING	23.55 34.75 53.20 94.70 31.80 48.25 62.55 66.50
PS 35	SELF SEAL WALL SLEEVE FOR GYPSUM WALLS	
S25498-GW S35498-GW S45498-GW	2" SELF SEAL GW SLEEVE 3" SELF SEAL GW SLEEVE 4" SELF SEAL GW SLEEVE	23.95 36.50 54.55
PS 36	SELF SEAL WALL FOR MASONRY BLOCK WALLS	5
S2549H-MW S3549H-MW S4549H-MW	2" SELF SEAL MW SLEEVE 3" SELF SEAL MW SLEEVE 4" SELF SEAL MW SLEEVE	23.95 36.50 54.55
PS 37	SELF SEAL WALL SLEEVE FOR POURED CONCR	ETE
P2549H-PCW P3549H-PCW P4549H-PCW	2" SELF SEAL PCW SLEEVE 3" SELF SEAL PCW SLEEVE 4" SELF SEAL PCW SLEEVE	22.20 49.70 72.75
PS 38	SELF SEAL FLUSH FIT STACK ASSEMBLY	
P2549H-FF P3549H-FF P4549H-FF	2" FLUSH FIT SS COUPLING 3" FLUSH FIT SS COUPLING 4" FLUSH FIT SS COUPLING	14.25 28.05 33.00
PS 39	RISER SUPPORT FITTING FOR PLASTIC PIPE F THROUGH FLOOR CEILING ASSEMBLIES	PASSING
P15551 P25551 P35551	1-1/2" PVC RISER SUPPORT 2" PVC RISER SUPPORT 3" PVC RISER SUPPORT	2.55 2.20 3.50

PART NO.	DESCRIPTION	TRADE		
TAKI NO.	DESCRIPTION	TRICL		
PS 40	CORED HOLE SLEEVE COUPLING FOR SOLVENT CEMENTING			
P2555H	2" CORED HOLE COUPLING (FITS 3" HOLE)	8.35		
P3555H	3" CORED HOLE COUPLING (FITS 4" HOLE)	11.10		
P4555H	4" CORED HOLE COUPLING (FITS 5" HOLE)	13.90		
PS 41	CORED HOLE STACK STUB FOR CAST IRON STAC SOCKET ON TOP AND BOTTOM WHEN USING E-Z ON BOTTOM AND P90 ON TOP.			
P2558H	2" CORED HOLE STACK STUB	8.70		
P3558H	3" CORED HOLE STACK STUB	11.50		
P4558H	4" CORED HOLE STACK STUB	14.40		
P6558H	6" CORED HOLE STACK STUB	21.45		
PS 42	PRE-CAST SHOWER DRAIINS FOR POURED CON	CRETE.		
P4561H-SSW	4" X 2" PRECAST SHOWER DRAIN	40.70		
SR-73SS	7" X 3" SMOKE SEAL	3.60		
PS 43	CAST-IN TUB BOX FOR CONNECTING TUB DRAIN POURED CONCRETE FLOOR.	I IN		
P2562H	2" TUB BOX ASSEMBLY W/ 2 LEGS	17.65		
P4562H	4" TUB BOX ASSEMBLY W/ 2 LEGS	21.75		
P2562H-1EF	2" TUB BOX W/ 1" EXTRA FOAM	18.90		
P62L	10" PVC TUB LEGS (SET OF 2)	4.40		
P2562H-HAM	TUB BOX FOR 3" HAMBRO POUR	25.30		
OPTIONS: ADD "CM	"TO END OF PART NUMBER FOR METAL DECKS.			
PS 44	STRAINERS			
2634	2" ADJ STRAINER 4.25" ROUND TOP	28.60		
2635	2" ADJ STRAINER 5 1/2" ROUND TOP	46.00		
3635	3" ADJ STRAINER 5 1/2" ROUND TOP	46.00		
3635SQ	3" ADJ STRAINER SQUARE TOP	. 54.80		
3636	6" NB ROUND STRAINER 3 1/2" IPS THREAD	74.25		
PS 45	HI-TEMP P-90 PVC TUB & SHOWER BOX FOR FI "A" TUB OR SHOWER THRU WOOD FLOORS. (CUT A 6-1/4" x10-1/4" SLOT IN WOOD FOR S BOX.)	RE RATING		
P25620S	TUB BOX FOR WOOD CONSTRUCTION	15.30		
PS 46	CAST-IN ADJUSTABLE SHOWER/FLOOR DRAIN FO BUILT-IN SHOWER FLOORS.	OR		
P2563H	2" CAST-IN SHOWER	48.50		
P3563H	3" CAST-IN SHOWER	51.30		
P2563H-SD	2" CAST-IN SHOWER DRAIN W/TLPC	36.30		
P25630	PIECE 2" CAST-IN SHOWER DRAIN ONLY	42.00		
P2563H-SSW	2" CAST-IN SHOWER W/SELF SEAL WRAP	58.05		
P3563H-SSW	3" CAST-IN SHOWER W/SELF SEAL WRAP	69.50		
OPTIONS: ADD "F"TO ABOVE PART NUMBER IF USING AS FLOOR DRAIN. ADD "CM"TO END OF PART NUMBER FOR METAL DECKS. "PB"FOR POLISHED BRASS. "CP"FOR CHROME PLATED. "WB"FOR NICKLE BRONZE. ADD "X"FOR 5" TOP. Call Factory for additional strainer tops and pricing.				
DC 47		ENI.		
PS 47	CORED HOLE SHOWER DRAIN STUB FOR BUILT- SHOWER FLOORS."	LIN		

UNIT

	Showeld records.	
P25630	2" TOP ONLY DRAIN BASE & STRAINER	42.00
P35630	3" TOP ONLY DRAIN BASE & STRAINER	42.00
P45630	4" TOP ONLY DRAIN BASE & STRAINER	42.00
P25630-WC	2" TOP ONLY DRAIN BASE & STRAINER W/CPLG	42.80
P2563H-CH	2" CORED HOLE SHOWER	48.50
P3563H-CH	3" CORED HOLE SHOWER	51.30
P2563H-CH-SSW	2" CORED HOLE SHOWER W/SELF SEAL WRAP	58.05
P3563H-CH-SSW	3" CORED HOLE SHOWER W/SELF SEAL WRAP	74.10
P2563H-CM-SSW	2" SHOWER/FLOOR DRAIN	58.05
P3563H-CM-SSW	3" SHOWER/FLOOR DRAIN	69.50
P4563H-CM-SSW	4" SHOWER/FLOOR DRAIN	73.90

OPTIONS: Add "PB" FOR POLISHED BRASS. "CP" FOR CHROME PLATED. "NB" FOR NICKLE BRONZE.

PART NO.	DESCRIPTION	UNIT TRADE PRICE
PS 48	FLOOR HUB DRAIN STUB FOR POURED CONCRE	TE
P23FHDS P24FHDS P34FHDS P23FHDS-SSW	2 X 3 HUB DRAIN W/FLUSH STRAINER 2 X 4 HUB DRAIN W/FLUSH STRAINER 3 X 4 HUB DRAIN W/FLUSH STRAINER (<i>ADD "RS" FOR RECESS STRAINER</i>) 2 X 3 HUB DRAIN W/STRAINER & SSW	20.10 27.80 33.30 26.70
P24FHDS-SSW P34FHDS-SSW	2 X 3 HOB DRAIN W/STRAINER & SSW 2 X 4 HUB DRAIN W/STRAINER & SSW 3 X 4 HUB DRAIN W/STRAINER & SSW	20.70 34.40 42.90
PS 49	WATER-PROOF TRI-LEVEL DECK DRAIN	
P2565H-ADR P3565H-ADR P4565H-ADR P25650-WC P35650-WC P45650-WC	2" DECK DRAIN STUB W/WATERSTOP RING 3" DECK DRAIN STUB W/WATERSTOP RING 4" DECK DRAIN STUB W/WATERSTOP RING 2" DECK DRAIN STRAINER 3" DECK DRAIN STRAINER 4" DECK DRAIN STRAINER	23.55 33.35 40.60 38.40 40.40 42.00
PS 50	CAST-IN 8-1/2" DIA. MEDIUM DUTY AREA DRAI DRAINAGE SUCH AS PARKING DECKS.	n for
P3565HX P4565HX P3565HX-SSW P4565HX-SSW	3" MEDIUM C.I. AREA DRAIN 4" MEDIUM C.I. AREA DRAIN 3" MEDIUM C.I. AREA DRAIN FOR PVC 4" MEDIUM C.I. AREA DRAIN FOR PVC	66.20 68.70 87.15 99.80
OPTIONS: ADD "C	"TO END OF PART NUMBER FOR METAL DECKS.	
PS 51	CAST-IN FLOOR DRAIN STUB FOR AREA DRAINI THRU A CONCRETE FLOOR.	NG
P2565H P3565H P4565H P3565H-SSW P3565H-SSW P4565H-SSW P25650 P35650 P45650	2" FLOOR DRAIN W/5-1/2" STRAINER 3" FLOOR DRAIN W/5-1/2" STRAINER 4" FLOOR DRAIN W/5-1/2" STRAINER 2" FLOOR DRAIN W/SELF SEAL WRAP 3" FLOOR DRAIN W/SELF SEAL WRAP 4" FLOOR DRAIN W/SELF SEAL WRAP 2" FLOOR DRAIN ONLY BASE & STRN ONLY 3" FLOOR DRAIN ONLY BASE & STRN ONLY 4" FLOOR DRAIN ONLY BASE & STRN ONLY	40.05 43.80 45.80 49.60 66.55 85.65 37.60 37.60 37.60
OPTIONS: ADD " P	B″ FOR POLISHED BRASS. "CP″ FOR CHROME PLA (<i>SEE G3 SERIES FOR ADJUSTABLE DRAIN TOPS</i>)	TED.
PS 52	FLOOR DRAIN	
P2565H-CM-SSW P3565H-CM-SSW P4565H-CM-SSW	2" FLOOR DRAIN 3" FLOOR DRAIN 4" FLOOR DRAIN	57.50 72.00 85.65
PS 53	CORED HOLE DRAIN STUB FOR AREA DRAINING CONCRETE FLOOR.	G THRU A
P2565H-CH P3565H-CH P4565H-CH P2565H-CH-SSW P3565H-CH-SSW P4565H-CH-SSW	2" FLOOR DRAIN W/5-1/2" STRAINER 3" FLOOR DRAIN W/5-1/2" STRAINER 4" FLOOR DRAIN W/5-1/2" STRAINER 2" FLOOR DRAIN W/SELF SEAL WRAP 3" FLOOR DRAIN W/SELF SEAL WRAP 4" FLOOR DRAIN W/SELF SEAL WRAP	40.70 44.70 46.85 47.65 63.45 77.65
	4" ΤΟ END OF PART NUMBER FOR METAL DECKS. "P" FOR CHROME PLATED. " NB" FOR NICKLE BROD	
PS 54	CAST-IN & CORED HOLE ROOF DRAIN W/C.I. DO AREA DRAINING THRU A CONCRETE ROOF.	ome for
P2567H P3567H P4567H P2567H-CH P3567H-CH P3567H-CH P35670 P45670 P2567H-SSW P3567H-SSW P4567H-SSW P4567H-SSW	2" ROOF DRAIN STUB ASSEMBLY 3" ROOF DRAIN STUB ASSEMBLY 4" ROOF DRAIN STUB ASSEMBLY 2" ROOF DRAIN W/C.I. DOME 3" ROOF DRAIN W/C.I. DOME 4" ROOF DRAIN W/C.I. DOME 3" ROOF DRAIN ONLY 4" ROOF DRAIN ONLY 2" ROOF DRAIN STUB W/SELF SEAL WRAP 3" ROOF DRAIN STUB W/SELF SEAL WRAP 4" ROOF DRAIN STUB W/SELF SEAL WRAP 4" ROOF DRAIN STUB W/SELF SEAL WRAP 4" TO END OF PART NUMBER FOR METAL DECKS.	50.75 55.35 56.60 50.75 55.65 56.70 48.40 48.40 60.25 66.10 96.40

PART NO.	DESCRIPTION	UNIT TRADE PRICE		
PS 55	CLEAN-OUT BODY & "NB" COVER FOR UNDERG INSTALLATION.	ROUND		
P25690 P35690 P45690	2" FLOOR CLEAN-OUT W/NO HUB OUTLET 3" FLOOR CLEAN-OUT W/NO HUB OUTLET 4" FLOOR CLEAN-OUT W/NO HUB OUTLET	60.50 76.35 80.45		
OPTIONS: ADD "CM	" TO END OF PART NUMBER FOR METAL DECKS.			
PS 56	PROTECTIVE CAP ONLY			
P8892 P8893 P8894 P8896	2" PROTECTIVE CAP 3" PROTECTIVE CAP 4" PROTECTIVE CAP 6" PROTECTIVE CAP	.35 .45 65 3.25		
OPTIONS: COLORS-	- BLACK (BLK) - GREEN (G) - RED (R)			
PS 57	NO-HUB STACK STUB OUT W/P-90 PVC FOR CONNECTING TO TRANSITION COUPLING ON E SIDE.	ITHER		
P25902 P35903 P45904 P65906	2" X 2" P-90 STUB-OUT F.R. NIPPLE 3" X 3" P-90 STUB-OUT F.R. NIPPLE 4" X 3" P-90 STUB-OUT F.R. NIPPLE 6" X 6" P-90 STUB-OUT F.R. NIPPLE	.65 1.45 1.95 8.25		
PS 58	COLOR CODED ANCHORTECK CONCRETE INSER THREADED ROD.	RT FOR		
A00114 A00138 A00112 A00158 A00134	1/4" CONCRETE INSERT 3/8" CONCRETE INSERT 1/2" CONCRETE INSERT 5/8" CONCRETE INSERT 3/4" CONCRETE INSERT	1.20 1.20 1.45 3.70 3.85		
<i>OPTIONS:</i> COLORS– BLACK (BLK) - BLUE (BLU) -BROWN (BRN) - GREEN (G) ORANGE (O) - RED (R)				
PS 59	FIRE RATED AIR VALVE/FIRESTOP ASSEMBLY F COMBINATION PLUMBING VENT AND FIRESTOP			
P25112 SN200	1-1/2" & 2" FIRE RATED BRAND AIR VENT SNAP-IN AIR GRILL	16.95 5.50		
PS 60	PRIMER & FLEXIBLE TO RIGID PVC SOLVENT C	EMENT		
A81121	QUART OF SOLVENT CEMENT	11.85		
A81122 A81170	GALLON OF SOLVENT CEMENT OUART OF PRIMER	37.95 10.50		
A81171	GALLON OF PRIMER	32.80		
PS 61	ADHESIVE CAULKING FOR SEALING CORED CO AND CAST IRON PASS THRU STACKS.	UPLING		
A81155	11 FL OZ CARTRIDGE	7.60		
PS 62	FIRESTOP CAULKING FOR SEALING VOID BETW AND THE SLEEVE.	EEN THE PIPE		
A81160 A81161	11-3/4 FL. OZ CARTRIDGE FLOORS OR WALLS 11-3/4 FL. OZ SELF LEVELING FIRE CAULK	17.60 17.60		
PS 63	FIREFILL FOR FILLING VOID & PIPE INSULATIC SYSTEM A.	In For		
F10450 F10450-10	20-LB BOX OF CERAMIC FIBER COMPOUND 10-LB BOX OF CERAMIC FIBER COMPOUND	91.10 49.50		
PS 64	FLEX-ALIGN TUB FITING FOR CORRECTING OF	-LINE TUB		
P62000 P6200B	1-1/2" FLEX-ALIGN ONLY FOR PVC 1-1/2" FLEX-ALIGN W/2 CLAMPS	3.80 5.80		
PS 65	J-BEND METAL HANGER ASSEMBLY FOR 2" - 3"			
A02238 A03238 A04238	2" HANGER ASSEMBLY 3" HANGER ASSEMBLY 4" HANGER ASSEMBLY	4.95 5.85 14.20		
PS 66	HI-TEMP P-90 1-1/2" PVC STUB-OUT FOR LAVS	AND SINKS		
P1 1/2-90	HI-TEMP PVC STUB-OUT PIPE	2.85 PER FOOT		

PART NO.	DESCRIPTION	TRADE
PART NO. PS 67	RISER CLAMP ASSEMBLY.	PRICE
A02214	2" RISER CLAMP ASSEMBLY	2.95
A03212	2-1/2" RISER CLAMP ASSEMBLY	3.85
A03214	3" RISER CLAMP ASSEMBLY	3.30
A04214	4" RISER CLAMP ASSEMBLY	4.15
A05214	5" RISER CLAMP ASSEMBLY	6.60
A06214	6" RISER CLAMP ASSEMBLY	6.75
	OPTIONS: WHEN ORDERING RISER CLAMP,	USE "CU" FOR
	COPPER. "CI" FOR CAST IRON. "S" FOR STEEL	. `EMT″ FOR
	ELECTRICAL TUBING.	
PS 68	NOISE ISOLATION RING	
A02	2" NOISE ISOLATION RING	1.65
A03	3" NOISE ISOLATION RING	2.50
A04	4" NOISE ISOLATION RING	3.85
A06	6" NOISE ISOLATION RING	6.35
PS 69	FIRE RATED PIPE ONLY	
P11/2-90	F.R. PVC PIPE	2.85 PER FOOT
P2-90	F.R. PVC PIPE	3.20 PER FOOT
P3-90	F.R. PVC PIPE	5.05 PER FOOT
P4-90	F.R. PVC PIPE	7.05 PER FOOT
PS 70	RIGHT ANGEL METAL STRIPS TO SPAN METAI	L DECK
	CORRUGATIONS TO SECURE SLEEVE COUPLI	NG
S34348	RIGHT ANGLE METAL STRIP 8"	1.10
PS 71	COMPONENT PARTS CAN BE PURCHASED SEP	ARATELY.
P2B-43	2" F.R. CPLG. FOR C.I. OR STEEL PIPE 2"	.35 PER INCH
P2G/R-43	2" F.R. CPLG. FOR C.U. OR PLASTIC PIPE 3"	
P3B/G/R-43	3" F.R. COUPLING PIPE	.50 PER INCH
P4B/G/R-43	4" F.R. COUPLING PIPE	.70 PER INCH
P6B/R-43	6" F.R. COUPLING PIPE	1.45 PER INCH

OPTIONS: COUPLING PIPE IS 5ft OR 10ft IN LENGTH WITH BLACK, GREEN, OR RED LETTERING. WHEN ORDERING, USE THE LETTER "B", "G" OR "R" BEHIND THE PART NUMBER. THE P-90 HI-TEMP PIPE HAS BLUE LETTERING. BLACK IS FOR C.I. OR STEEL PASS THRU PIPE. GREEN IS FOR PASS THRU PLASTIC PIPE. RED IS A TIGHT FIT USED FOR SOLVENT WELDING TO PLASTIC PIPE.

DESCRIPTION PRICE PART NO. PROSEAL PLUGS USED IN SYSTEM "A" ARE NOW PS 72 MADE TO ACCOMMODATE CPVC AS WELL AS COPPER. PLUGS ARE AVAILABLE FOR EMT ELECTRICAL, CABLES AND MULTIPLES.

C20000	2" BLANK PLUG	2.65
C20012	FOR 1/2" COPPER	2.65
C20034	FOR 1/2" IPS & 3/4" COPPER	2.65
C20100	FOR 3/4" IPS & 1" COPPER	2.65
C20114	FOR 1" IPS & 1-1/4" COPPER	2.65
C20114-P	FOR 1-1/4" IPS	2.65
C20112	FOR 1-1/2" COPPER	2.65
C20112-P	FOR 1-1/2" IPS	2.65
C20012EMT	FOR 1/2" EMT	2.65
C20034EMT	FOR 3/4" EMT	2.65
C20100EMT	FOR 1" EMT	2.65
C20114EMT	FOR 1-1/4" EMT	2.65
C20112EMT	1-1/4" IPS & 1-1/2" EMT	2.65
C25660	FOR BIDET	2.65
C25662	TUBULAR SIZE TUB BRUSHING	2.65
C25661	PIPE SIZE TUB BUSHING	2.65
C30200	FOR 2" COPPER	6.05
C30200-EMT	EMT FOR 2" EMT	6.05
C30200-P	FOR 2" IPS	7.15
C40212	FOR 2-1/2" COPPER	7.35
C40212-P	FOR 2-1/2" IPS	8.45
C40300	FOR 3" COPPER	7.35
C40300-P	FOR 3" IPS & 3" EMT	8.45
P60400EMT	FOR 4" EMT	9.75
P60400-T	For 4" Copper	9.75
LP60400	FOR 4" IPS	9.75
P60500	For 5" Copper	9.75
LP60500-T	FOR 5" IPS	9.75
LP80600	FOR 6" IPS	19.15
LP10800	FOR 8" IPS	29.15
LP12100	FOR 10" IPS	36.70

We are committed to: Promote the plumbing/piping contractor and his scope of work, increase his productivity, reduce his cost, improve his planning and work quality by using Performance based product systems."

UNIT

PRODUCT DIRECTORY

ANCHORS (CONCRETE INSERTS) AUTO AIR VALVE DEVICE CAPS ONLY CAST-IN SLEEVE COUPLING CAULK-ADVESIVE CAULK-FIRESTOPPING CLEAN OUTS CLOSET FLANGE(STREET) CLOSET FLANGE (WOOD) CLOSET STUB (ASSEMBLY) CLOSET STUB (ASSEMBLY) CLOSET STUB-CORED HOLE CLOSET STUB ONLY-W/O FLANGE CORED HOLE COUPLINGS CORED HOLE STACK STUB COUPLING PIPE (ONLY) DRAINS (FLOOR/SHOWER CAST IN) DRAINS—CORED HOLE & CM DRAINS (DECK) DRAINS (FLOOR)	PS58 PS59 PS56 PS21 PS61 PS62 PS55 PS04 PS19 PS20 PS20 PS25 PS40 PS41 PS41 PS41 PS46 PS47 PS49 PS49 PS51	DRAINS (ROOF) DRAINS (CORED HOLE FLOOR) EXTENSION COUPLING E-Z-FLEX E-Z FLEX NO HUB FASTENING FLANGE #43 FIRE RATED PIPE, ONLY FIREFILL FLEX-ALIGN FITTING HI-TEMP PVC STUB-OUT PIPE J-BEND HANGERS NOISE ISOLATION RINGS P-90 STUB-OUT PRE-CAST SHOWER DRAINS PROSEAL PLUGS RISER CLAMP ASSEMBLY RISER SUPPORT SEAL RINGS SELF SEAL CM SLEEVE	PS54 PS53 PS02 PS23 PS24 PS09 PS69 PS63 PS64 PS65 PS65 PS65 PS68 PS58 PS58 PS58 PS58 PS58 PS58 PS58 PS5	SELF SEAL GYPSUM WALL SELF SEAL MASONRY WALL SELF SEAL POURED CONCRETE WALL SELF SEAL W/EXT COUPLING SELF SEAL W/EXT COUPLING FOR CM SLEEVE CORED HOLE WATER GUARD SLEEVE WATER GUARD W/EXT. SLEEVE WATER GUARD W/EXT & RING SLEEVE WATER GUARD W/RING SLEEVE COUPLING CM SLEEVE COUPLING #43 CORED HOLE SLEEVE COUPLING CAST IN SOLVENT CEMENT & PRIMER SOVENT BOX OPENINGS STACK STUB CAST-IN #48 STRAINERS TUB BOX FOR POURED CONCRETE TUB BOX WOOD ASSEMBLY WALL HUB SELF SEAL SLEEVE	PS35 PS36 PS37 PS31 PS34 PS16 PS17 PS18 PS13 PS12 PS13 PS11 PS60 PS08 PS27 PS44 PS43 PS45 PS45 PS32
DRAINS (FLOOR-CM) DRAINS (FLOOR HUB W/STRAINER)	PS52 PS48	SELF SEAL CORED HOLE	PS30	WALL SLEEVE—GYPSUM WALL SLEEVE-MASONRY	PS14 PS15
DRAINS (HEAVY DUTY AREA)	PS50	SELF SEAL FLANGE ONLY SELF SEAL COUPLING #49	PS27 PS28	WALL SLEEVE MASONNY WASHER BOX/ICE MAKER BOX	PS07
DRAINS (PLANTER)	PS232	SELF SEAL FLUSH FIT COUPLING	PS38	WATER GUARD PARTS	PS1,2,3,6

LIMITED PARTS WARRANTY

Sellers products are carefully inspected for manufacturing defects; however, it is not always possible to detect hidden defects. Said products are warranted only to the extent that seller will replace without charge, products proved to have manufacturing defects within 6 months of the date of delivery thereof and provided seller has been given an opportunity to inspect the product alleged to be defective and the installation or use thereof. NO WARRANTY IS INCLUDED AGAINST ANY EXPENSE FOR REMOVAL, REINSTALLATION OR OTHER CONSEQUENTIAL DAMAGES ARISING FROM ANY DEFECT. THE WARRANTIES SET OUT ABOVE ARE THE ONLY WARRANTIES MADE BY SELLER AND ARE EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING THE WARRANTIES OR MERCHANTABILTY AND FITTNESS FOR A PARTICULAR PROPOSE. UPDATED 06/08